Form 3160-3 (August 1999)

### UNITED STATES

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

DEPARTMENT OF T	THE INTERIOR	
BUREAU OF LAND		5. Lease Serial No. UTU-0807
APPLICATION FOR PERMIT	TO DRILL OR REENTER	6. If Indian, Allottee or Tribe Name UTE TRIBAL
la. Type of Work: 🗷 DRILL 🔲 REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name and No. WONSITS VALLEY
lb. Type of Well: ☐ Oil Well    Gas Well ☐ Otl	ner Single Zone	Lease Name and Well No.     WONSITS VALLEY 4W-15-8-21
2. Name of Operator Contact: SHENANDOAH ENERGY INC.	JOHN BUSCH E-Mail: jbusch@shenandoahenergy.com	9. API Well No. 43-047-34291
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	10. Field and Pool, or Exploratory WONSITS VALLEY
4. Location of Well (Report location clearly and in accorda		11. Sec., T., R., M., or Blk. and Survey or Area
At surface NWNW 807FNL 945FWL At proposed prod. zone	4442840 N 623894E	Sec 15 T8S R21E Mer SLB
• • •		
14. Distance in miles and direction from nearest town or post 15 MILES SOUTHWEST OF REDWASH UTAH	office*	12. County or Parish UINTAH 13. State UT
15. Distance from proposed location to nearest property or	16. No. of Acres in Lease	17. Spacing Unit dedicated to this well
lease line, ft. (Also to nearest drig. unit line, if any) 807	1280.00	40.00
18. Distance from proposed location to nearest well, drilling,	19. Proposed Depth	20. BLM/BIA Bond No. on file
completed, applied for, on this lease, ft.	7800 MD	U-0969
21. Elevations (Show whether DF, KB, RT, GL, etc. 4848 KB	22. Approximate date work will start 09/11/2001	23. Estimated duration 10 DAYS
	24. Attachments	
m out to an indicate the second	COuchers Oil and Con Order No. 1 shall be asserted to	his form:
The following, completed in accordance with the requirements of	of Onshore Oil and Gas Order No. 1, shall be attached to	nis form:
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest Syst SUPO shall be filed with the appropriate Forest Service Of</li> </ol>	Item 20 above).	organisms unless covered by an existing bond on file (see
25. Signature  John Busy	Name (Printed/Typed) JOHN BUSCH	Date 09/13/2001
Title OPERATIONS	Kedson Is	
Approved by (Signature)	Name (Printed/Typed)	I Date
The Way It I	BDADLEV C HILL	<u> δα-20-8 (</u>

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

**RECLAMATION SPECIALIST III** 

Office

Conditions of approval, if any, are attached.

Title


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #6909 verified by the BLM Well Information System CEIVED For SHENANDOAH ENERGY INC., sent to the Vernal

**DIVISION OF** OIL, GAS AND MINING

### T8S, R21E, S.L.B.&M.



### CONFIDENTIAL

### LEGEND:

\_ = 90° SYMBOL

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.


LATITUDE = 40°07'48" LONGITUDE = 109°32'46"

### SHENANDOAH ENERGY, INC.

Well location, WV #4W-15-8-21, located as shown in the NW 1/4 NW 1/4 of Section 15, T8S, R21E, S.L.B.&M. Uintah County, Utah.

### BASIS OF ELEVATION

BENCH MARK (45 EAM) LOCATED IN THE N 1/2 OF SECTION 5, T8S, R21E, S.L.B.&M. TAKEN FROM THE BRENNAN BASIN QUADRANGLE, UTAH, UINTAH COUNTY 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4689 FEET.



#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE OF ACTUAL SURVEYS MADE OF ACTUAL SUPERVISION AND THAT THE SAME ARE THE AND CORRECT OF THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319

# UINTAH ENGINEERING & LAND SORVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 8-23-01	DATE DRAWN: 8-29-01
D.A. J.A. D.COX	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE SHENANDOAH	ENERGY, INC.

### United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

September 20, 2001

### Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2001 Plan of Development Wonsits Valley Unit,

Uintah County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for calendar year 2001 within the Wonsits Valley Unit, Uintah County, Utah.

Well Location Api Number (Proposed PZ Wasatch) 43-047-34288 WV 1W-16-8-21 Sec. 16, T8S, R21E 0319 FNL 0695 FEL Sec. 15, T8S, R21E 0473 FNL 1769 FWL 43-047-34289 WV 3W-15-8-21 Sec. 16, T8S, R21E 0483 FNL 2064 FWL Sec. 15, T8S, R21E 0807 FNL 0945 FWL 43-047-34290 WV 3W-16-8-21 43-047-34291 WV 4W-15-8-21 43-047-34292 WV 4W-16-8-21 Sec. 16, T8S, R21E 0681 FNL 0669 FWL Sec. 15, T8S, R21E 2343 FNL 0798 FWL 43-047-34293 WV 5W-15-8-21 43-047-34294 WV 6W-15-8-21 Sec. 15, T8S, R21E 2046 FNL 1675 FWL 43-047-34295 WV 10W-15-8-21 Sec. 15, T8S, R21E 2145 FSL 1837 FEL 43-047-34296 WV 12W-15-8-21 Sec. 15, T8S, R21E 1891 FSL 0390 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Wonsits Valley Unit Division of Oil Gas and Mining Agr. Sec. Chron

Fluid Chron

MCoulthard:mc:9-20-1

### **Additional Operator Remarks:**

Shenandoah Energy Inc. propose to drill a well to 7800' to test the Wasatch. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Operation will be according to the Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench and undesignated fields in Townships 07 and 08 South, Range 21 to 24 East.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. U-0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

### SHENANDOAH ENERGY, INC.

WV #4W-15-8-21 LOCATED IN UINTAH COUNTY, UTAH **SECTION 15, T8S, R21E, S.L.B.&M.** 




PHOTO: VIEW FROM CORNER #1 TO LOCATION STAKE

**CAMERA ANGLE: SOUTHWESTERLY** 




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

**CAMERA ANGLE: SOUTHEASTERLY** 



Uintah Engineering & Land Surveying

85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com

LOCATION PHOTOS MONTH DAY YEAR DRAWN BY: K.G. REVISED: 00-00-00 TAKEN BY: D.A.

РНОТО

SHENANDOAH ENERGY INC. WELL # WV 4W-15-8-21

## ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

### 1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth	Prod. Phase Anticipated
Uinta	Surface	
Green River	2763'	
Mahogany Ledge	3518'	
Wasatch	6093'	
TD (Wasatch)	7800'	Gas

### 2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Wasatch	7800'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

### 3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 3120.0 psi.

# SHENANDOAH ENERGY INC. WONSITS VALLEY UNIT #4W-15-8-21 807' FNL 945' FWL NWNW SECTION 15, T8S, R21E, SLB&M UINTAH COUNTY, UTAH LEASE # UTU-0807

#### **ONSHORE ORDER NO. 1**

#### **MULTI - POINT SURFACE USE & OPERATIONS PLAN**

### 1. Existing Roads:

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

There will be no improvements made to existing access roads.

### 2. Planned Access Roads:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map B for the location of the proposed access road.

### 3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

### 4. Location of Existing & Proposed Facilities:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map D for the location of the proposed pipeline.

### 5. Location and Type of Water Supply:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

### 6. Source of Construction Materials:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

### 7. Methods of Handling Waste Materials:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

#### 8. Ancillary Facilities:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

### 9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

### 10. Plans for Reclamation of the Surface:

Please see Shenandoah Energy Inc. Standard Operating Practices for Wasatch Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

### 11. Surface Ownership:

The well pad and access road are located on lands owned by:

Ute Indian Tribe P.O. Box 143 Ft. Duchesne, UT 84026

#### 12. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

#### Lessee's or Operator's Representative:

John Busch Red Wash Operations Rep. Shenandoah Energy Inc. 11002 East 17500 South Vernal, Utah 84078 (435) 781-4341

#### Certification:


All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.


Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and Conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

_loh_ Busch	SEDT 13-01	
John Busch	Date	
Red Wash Operations Representative		





### APPROXIMATE YARDAGES

CUT

(12") Topsoil Stripping = 3,680 Cu. Yds. Remaining Location = 6,180 Cu. Yds.

TOTAL CUT = 9,860 CU.YDS.

FILL = 4,400 CU.YDS.

EXCESS MATERIAL AFTER

5% COMPACTION = 5,230 Cu. Yds.


Topsoil & Pit Backfill = 5,230 Cu. Yds.


(1/2 Pit Vol.)


EXCESS UNBALANCE = 0 Cu. Yds.


(After Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING 85 So. 200 East \* Vernal, Utah 870798 1448 - 789-1017.










### WORKSHEET 'APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 09/17/2001	API NO. ASSIGNE	D: 43-047-3429	)1
WELL NAME: WV 4W-15-8-21  OPERATOR: SHENANDOAH ENERGY INC ( N4235 )  CONTACT: JOHN BUSCH	PHONE NUMBER: 43	35-781-4341	
PROPOSED LOCATION:	INSPECT LOCATN	BY: / /	
NWNW 15 080S 210E SURFACE: 0807 FNL 0945 FWL	Tech Review	Initials	Date
BOTTOM: 0807 FNL 0945 FWL	Engineering		
UINTAH WONSITS VALLEY ( 710 )	Geology		
LEASE TYPE: 1 - Federal	Surface		
LEASE NUMBER: UTU-0807 SURFACE OWNER: 2 - Indian PROPOSED FORMATION: WSTC			
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. U-0969 ) Potash (Y/N) Noil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496 ) N RDCC Review (Y/N) (Date: )  Plat Bond: Fee Surf Agreement (Y/N)	R649-3-2. G Siting: 460 F R649-3-3. E Drilling Uni Board Cause Eff Date: Siting:	Unit WONSITS VAN	Between Wells
COMMENTS: WV SOP, Separate file STIPULATIONS: DEDERAL APPRO			




**OPERATOR: SHENANDOAH ENERGY (N4235)** 

SEC. 15 & 16, T8S, R21E

FIELD: WONSITS VALLEY (710)

COUNTY: UINTAH UNIT: WONSITS VALLEY

CAUSE: 187-06



PREPARED BY: LCORDOVA DATE: 19-SEPTEMBER-2001



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Kathleen Clarke
Executive Director
Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

September 20, 2001

Shenandoah Energy Inc. 11002 East 17500 South Vernal, UT 84078

Re: Wonsits Valley 4W-15-8-21 Well, 807' FNL, 945' FWL, NW NW, Sec. 15, T. 8 South,

R. 21 East, Uintah County, Utah

### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34291.

Sincerely,

John R. Baza
Associate Director

dm

**Enclosures** 

cc:

**Uintah County Assessor** 

Bureau of Land Management, Vernal District Office

Operator:	Shenandoah Energy Inc.					
Well Name & Number	Name & Number Wonsits Valley 4W-15-8-21					
API Number:		43-047-34291				
Lease:	UTU 0807					
Location: NW NW	Sec. 15	T. <u>8 South</u>	R. 21 East			

### **Conditions of Approval**

### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

# UN ED STATES DEPARTME OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS not use this form for proposals to drill or to re-enter an

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5. Lease Serial No. UTU-0807

	-				
7	If Indian,	Allottee	OF	Tribe	Name
υ.	II IIIGIAII,	Anottee	O.	11100	
	LITE TO				

Type of Well   Other   Subsequent Report   Other   Subsequent Report   Other	abandoned well	l. Use form 3160-3 (API	)) for such pro	posals.			E TRIBE		
Special Content   Special Co	SUBMIT IN TRIF	PLICATE - Other instruc	tions on reve	se side.		7. If V	Init or CA/Agreer ONSITS VALL	nent, Name and/or EY	No.
Contact: RALEEN SEARLE Seading Company SHENANDOAH ENERGY INC.    3.6 Phon No. (Include area code)   1.6 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.6 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.6 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B4078   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, UT B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Exploratory WONSITS VALLEY VERNAL, B40781   1.7 Field and Pool, or Field A40781   1.7 Field and Pool, or Field A40781   1.7 Field and Pool, or Field A40781   1.7 Field A40781   1.7 Field A40781   1.7 Field and Pool, or Field A40781   1.7 Fi						8. We	II Name and No.	Y 4W-15-8-21	_
Name of Operators SHENANDOAH ENERGY INC.    Malters   Malter   Mal	Oil Well Gas Well Oth	er				İ			
10.2 EAST 17500 SOUTH	Name of Operator	Contact:	RALEEN SEAI E-Mail: rsearle@	₹LE ishenandoal	nenergy.com				
VERNAL, UT 84078  Location of Well (*Footage, Sec. 1. R. M. or Survey Description)  11. County or Parish, and State UINTAH COUNTY, UT  12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  13. Acidize   Deepen   Production (Start/Resume)   Water Shut-Office of Intent   Acidize   Deepen   Production (Start/Resume)   Well Integrity Subsequent Report   Casing Repair   New Construction   Recomplete  14. Thereby reposed or Completed Operation (clearly stera all pertinent details, including estimated starting date of any process work and approximate duration there  15. The operation of the Bond No. on file with BLM/BLA. Required subsequent reports shall be filled within 30 days Attach the Bond under the Involved operations. If the operation results in a multiple completion or recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in a new interval, a form 316-04 shall be filled only after all requirements, including recompletion in an even interval, a form 316-04 shall be filled only after all requirements, including	Address 11002 EAST 17500 SOUTH		Ph: 435.781	.4309	code)	10. F	ield and Pool, or I ONSITS VALL	Exploratory EY	
Sec 15 T8S R21E NWNW 807FNL 945FWL  12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Acidize	VERNAL, UT 84078			1328		<del>-   11                                 </del>	ounty or Parish, a	nd State	
Sec 15 T8S R21E NWNW 807FNL 945FWL  12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Acidize	Location of Well (Footage, Sec., T.	., R., M., or Survey Description	<i></i>				•		
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Acidize	Sec 15 T8S R21E NWNW 803	7FNL 945FWL			)	١٠	INTAH COUNT	11,01	
Notice of Intent									
Notice of Intent   Acidize   Deepen   Production (Start/Resume)   Water Shut-Of     Alter Casing   Fracture Treat   Reclamation   Well Integrity     Subsequent Report   Casing Repair   New Construction   Recomplete   Other     Final Abandonment Notice   Change Plans   Plug and Abandon   Temporarily Abandon     Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration there if the proposed is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone     If the proposed is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone     If the proposed is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone	12. CHECK APPE	ROPRIATE BOX(ES) TO	INDICATE 1	NATURE (	OF NOTIC	E, REPOR	T, OR OTHER	R DATA	
Notice of Intent   Acidize									
Notice of Intent    Notice of Intent     Alter Casing     Fracture Treat     Reclamation   Well Integrity	1112 01 00	Acidino	- Deep	en	□ Pr	oduction (S	tart/Resume)	☐ Water Shut-	-Off
Subsequent Report   Casing Repair   New Construction   Recomplete   Other	Notice of Intent				_			☐ Well Integr	ity
Stephan	•								
Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration there are the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and smeasured and true vertical depths of all pertinent markers and zone if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 316-dd-shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  Shenandoah Energy Inc. hereby requests an 1 year extension on the APD for the WV 4W-15-8-21.  VERNAL DIST.  The reby certify that the foregoing is true and correct.  Electronic Submission #15080 verified by the BLM Well Information System  Electronic Submission #15080 verified by the BLM Well Information System  For SHENANDOAH ENERGY INC., sent to the Vernal  Committed to AFMSS for processing by LESLIE WALKER on 12/03/2002 ()  Name (Printed Typed) RALEEN SEARLE  Title REGULATORY AFFAIRS ANALYST  This SPACE FOR FEDERAL OR STATE OFFICE USE  Title Potrolour Engineer  Title Potrolour Engineer  Title Potrolour Engineer  Office	_						Abandon	₩	
Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration there are the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone if the proposal is to deepen directionally or recompleted in the wind IMDIA. Required subsequent reports shall be filled only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  Shenandoah Energy Inc. hereby requests an 1 year extension on the APD for the WV 4W-15-8-21.  Shenandoah Energy Inc. hereby requests an 1 year extension on the APD for the WV 4W-15-8-21.  VERNAL DIST.  This SHEANNOOAH ENERGY INC. sent to the Vernal Committed to AFMSS for processing by LESILE WALKER on 12/03/2002 ()  Name (PrintedTyped) RALEEN SEARLE  Signature (Electronic Submission)  Date 11/26/2002  Div. OF Oil, GAS:  Title Potroleum Engireer  Office	☐ Final Abandonment Notice		_						
If the proposal is to deepen directionally of recombination of the port of the work will be performed or provide the Bond No. on file with BLMBIA. Required subsequent reports shall be filed owintin 30 days Attach the Bond under which the work will be performed or provide the Bond No. on file with BLMBIA. Required subsequent reports shall be filed only after all requirements, including reclamation, have been completed, and the operation has determined that the site is ready for final handonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  Shenandoah Energy Inc. hereby requests an 1 year extension on the APD for the WV 4W-15-8-21.  VERNAL DIST.  This.  4. Thereby certify that the foregoing is true and correct.  Electronic Submission #15080 verified by the BLM Well Information System  Electronic Submission #15080 verified by the BLM Well Information System  For SHENANDOAH ENERGY INC., sent to the Vernal  For SHENANDOAH ENERGY INC., sent to the V		Convert to Injection		Back				at a direction the	of
Name (Printed/Typed) RALEEN SEARLE  Title REGULATORY AFFAIRS ANALYST  Date 11/26/2002  DIV. OF Oil, GAS & Title Potroleum Enginer.  Approved By  Approved By  In any, are attached. Approval of this notice does not warrant or critify that the applicant holds legal or equitable title to those rights in the subject lease critical applicant to conduct operations thereon.	COMDITIO	ns of App	POVÁL	. ATT	ACHE	D			
Signature (Electronic Submission)  Date 11/26/2002  DIV. OF OIL, GAS & THIS SPACE FOR FEDERAL OR STATE OFFICE USE  Approved By  Italian Title  Date 11/26/2002  Title  Date 11/26/2002  Div. OF OIL, GAS & Title  Date Office  Office		For SHENA Committed to AFMSS		by LESLIE \	WALKER on	12/03/2002	0	RECE	IVE
Approved By  Approved By  Approved By  Itile  Title  Date  Title  Office  Office	Name (Printed/Typed) RALEEN	SEARLE						tad is a contract	A 1 2
Approved By  Title  Potroleum Engineer  Date  12/5102  Date  Office	Signature (Electronic							DIV. OF OIL, GA	S & N
Approved By    Sull Sull Sull Sull Sull Sull Sull Sul		THIS SPACE F	OR FEDERA	L OR ST	ATE OFFI	CE USE			
onditions of approval, if any, are attached. Approval of this notice does not warrant or rify that the applicant holds legal or equitable title to those rights in the subject lease of the applicant to conduct operations thereon.	Annroyed By	h Julian	· · · · · · · · · · · · · · · · · · ·	Title	Potrolo	um Eng	mee —	1 '	<u></u>
incl would child all apply and willfully to make to any denartment or agency of the Unite	onditions of approval, if any, are attached that the applicant holds legal or entire the applicant to consider the applicant the applicant to consider the applicant the applicant to consider the appli	duct operations thereon.	ne subject tease			CARTI CON INC.			
ttle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and wintury to make to any experience of the section 1001 and 100	1001 174-4	2 U.S.C. Section 1212, make it	a crime for any p	erson knowin	gly and willfu	lly to make to	any department	or agency of the Ur	nited

\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\*

### Shenandoah Energy Inc. APD Extension

Well: Wonsits Valley 4W-15-8-22

Location:

NWNW Sec. 15, T8S, R22E

Lease: UTU 0807

### CONDITIONS OF APPROVAL

An extension for the referenced APD is granted with the following conditions:

- 1. The extension will expire 11/30/03
  - 2. No other extensions beyond that time frame will be granted or allowed.

If you have any other questions concerning this matter, please contact Kirk Fleetwood of this office at (435) 781-4486

Form 3160-5

Approved By

CONFI	IDENTIAL	_
FOR	RM APPROVED	_
OME	R N/O 1004-0135	

Date

(August 1999)	DEPARTMENT OF THE					0. 1004-0135 vember 30, 2000	
BUREAU OF LAND MANAGEMENT  SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					5. Lease Serial No. UTU-0807		
					6. If Indian, Allottee of UTE TRIBE	r Tribe Name	
SUBMIT IN 1	RIPLICATE - Other instru	ctions on revers	e side.		7. If Unit or CA/Agree WONSITS VALL	ment, Name and/or No. EY	
Type of Well     Oil Well	Other				8. Well Name and No. WONSITS VALLE	Y 4W-15-8-21	
2. Name of Operator SHENANDOAH ENERGY	NC.	RALEEN SEARI E-Mail: rsearle@s		ergy.com	9. API Well No. 43-047-34291		
3a. Address 11002 EAST 17500 SOUT VERNAL, UT 84078	1	3b. Phone No. (in Ph: 435.781.43 Fx: 435.781.43	309		10. Field and Pool, or WONSITS VALI		
4. Location of Well (Footage, Sec	., T., R., M., or Survey Descriptio	n)			11. County or Parish, a	and State	
Sec 15 T8S R21E NWNW	807FNL 945FWL				UINTAH COUN	ry, ut	
12. CHECK AI	PROPRIATE BOX(ES) T	O INDICATE NA	ATURE OF 1	NOTICE, RE	PORT, OR OTHE	R DATA	
TYPE OF SUBMISSION			TYPE O	FACTION			
Notice of Intent	☐ Acidize	□ Deepen		☐ Production	on (Start/Resume)	■ Water Shut-Off	
Notice of Intent	☐ Alter Casing	☐ Fracture	Treat	☐ Reclamat	tion	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	☐ New Co	nstruction	□ Recompl	ete	Other	
☐ Final Abandonment Notice	☐ Change Plans	🗖 Plug an	d Abandon	□ Tempora	rily Abandon		
	Convert to Injection	□ Plug Ba	ck	☐ Water Di	Disposal		
13. Describe Proposed or Completed If the proposal is to deepen direct Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready f	ionally or recomplete horizontally work will be performed or provid ved operations. If the operation r Abandonment Notices shall be fi	, give subsurface locate the Bond No. on file esults in a multiple co	tions and measu with BLM/BIA muletion or reco	red and true ver  A. Required substantial in a ne	tical depths of all pertin sequent reports shall be ew interval a Form 316	ent markers and zones.  filed within 30 days  -4 shall be filed once	
Shenandoah Energy Inc. h	ereby requests an 1 year ex	ktension on the A	D for the W	V 4W-15-8-2°	1.		
	Approved by the Utah Division of Oil, Gas and Minin					<b>EIVED</b> 1 6 2002	
Date By:	10 74-02		COPYGENT Doing Louist	0 CHENIC 1-25-07 [#N	DIVI	SION OF AND MINING	
14. I hereby certify that the foregoin	g is true and correct.	#45000 v-15-1	4ho DI 14 14'-1	I Information	Svetom		
	Electronic Submission For SHENANDO	DAH ENERGY INC.	, will be sent	to the Vernal	oyateiii		
Name (Printed/Typed) RALEE	N SEARLE	Ti	le REGUL	ATORY AFF	AIRS ANALYST		
Signature Rallen	Searle	Da	ite 10/15/2	002			

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Title

Office

Form 3160-3 (August 1999)

### UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

BUREAU OF LAND M	IANAGEMENT	5. Lease Serial No. UTU-0807				
APPLICATION FOR PERMIT T	O DRILL OR REENTER	If Indian, Allottee or Tribe Name     UTE TRIBAL				
1a. Type of Work: ☑ DRILL ☐ REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name and No. WONSITS VALLEY				
	■ a	Lease Name and Well No.     WONSITS VALLEY 4W-15-8-21				
1b. Type of Well: On Well Contact:	JOHN BUSCH E-Mail: jbusch@shenandoahenergy.com	9. API Well No.				
3a. Address 11002 E. 17500 S.	3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	10. Field and Pool, or Exploratory WONSITS VALLEY				
VERNAL, UT 84078  4. Location of Well (Report location clearly and in accorded At surface NWNW 807FNL 945FWL	RECEIVED	11. Sec., T., R., M., or Blk. and Survey or Area Sec 15 T8S R21E Mer SLB				
At proposed prod. zone	SEP 2 5 2001					
14. Distance in miles and direction from nearest town or post 15 MILES SOUTHWEST OF REDWASH UTAH	office*	12. County or Parish UINTAH 13. State UT				
15 Distance from proposed location to nearest property or	16. No. of Acres in Lease	17. Spacing Unit dedicated to this well				
lease line, ft. (Also to nearest drig. unit line, if any) 807	1280.00	40.00				
18. Distance from proposed location to nearest well, drilling,	19. Proposed Depth	20. BLM/BIA Bond No. on file				
completed, applied for, on this lease, ft.  1200	7800 MD	U-0969				
21. Elevations (Show whether DF, KB, RT, GL, etc. 4848 KB	22. Approximate date work will start 09/11/2001	23. Estimated duration 10 DAYS				
	24. Attachments					
The following, completed in accordance with the requirements of	of Onshore Oil and Gas Order No. 1, shall be attached to	this form:				
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest Sys SUPO shall be filed with the appropriate Forest Service On the Plan (if the location is on National Forest Sys Supo Supo Supo Supo Supo Supo Supo Supo</li></ol>	4. Bond to cover the operative mem Lands, the 5. Operator certification	nformation and/or plans as may be required by the				
25. Signature	Name (Printed/Typed) JOHN BUSCH	Date 09/13/2001				
Title OPERATIONS		Date,				
Apprention by (Signature)	Name (Printed/Typed)	11/30/20				
Title Assistant Heid Manager Mineral Resources	Office	1:1				
Application approval does not warrant or certify the applicant l	nolds legal or equitable title to those rights in the subject	lease which would entitle the applicant to conduct				
operations thereon.		JE APPROVAL				
TOTAL 42 TLC C. Section 1212	, make it a crime for any person knowingly and willfully ations as to any matter within its jurisdiction.	to make to any department or agency of the United				

Additional Operator Remarks (see next page)

Electronic Submission #6909 verified by the BLM Well Information System 2001
For SHENANDOAH ENERGY INC., sent to the Vernal
Committed to AFMSS for processing by LESLIE CRINKLAW on 09/25/2001 DIVISION OF

# CONDITIONS OF APPROVAL ATTACHED

\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\*

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

COAs Page 1 of <u>4</u> Well No.: WV 4W-15-8-21

### CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Shenandoah Energy Inc.
Well Name & Number: WV 4W-15-8-21
API Number: <u>43-047-34291</u>
Lease Number: U- 0807
Location: NWNW Sec. 15 T.8S R. 21E
Agreement: Wonsits Valley Unit

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

### **CONDITIONS OF APPROVAL**

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

### **DRILLING PROGRAM**

None

Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

### Casing Program and Auxiliary Equipment

Surface casing setting depths are based on ground level elevations only.

COAs Page 2 of 4 Well No.: WV 4W-15-8-21

### Other Information

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman

(435) 828-7874

Petroleum Engineer

Kirk Fleetwood

(435) 828-7875

Petroleum Engineer

**BLM FAX Machine** 

(435) 781-4410

### SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

Shenandoah Energy, INC. (Shenandoah) will assure the Ute Tribe that any/all contractors and subcontractors have acquired a current Tribal Business License and have updated "Access Permits" prior to construction. All Shenandoah personnel, contractors and subcontractors will have these permits in their vehicles at all times. Companies that have not complied with this COA will be in violation of the Ute Tribal Business License Ordinance, and will be subject to fines and penalties.

Shenandoah employees, representatives, and/or authorized personnel (subcontractors) shall not carry firearms on their person or in their vehicles while working on the Uintah and Ouray Indian Reservation.

Shenandoah employees and/or authorized personnel (subcontractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

Shenandoah will notify the Ute Tribe and Bureau of Indian Affairs (BIA) in writing of any requested modification of APDs or Rights-Of Way (ROW). Shenandoah shall receive written notification of authorization or denial of the requested modification. Without authorization, Shenandoah will be subject to fines and penalties.

The Ute Tribe Energy & Minerals Department shall be notified in writing 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday. A Tribal Technician is to routinely monitor construction. Shenandoah shall make arrangements with the Ute Energy & Minerals Department for all monitoring that will exceed regular working hours for Tribal Technicians. A qualified Archaeologist accompanied by a Tribal Technician will monitor any trenching construction of the pipeline in the ROW corridor. Shenandoah is to inform contractors to maintain construction of the pipelines within the approved right of ways.

Shenandoah shall maintain cattleguards and fence integrity as originally constructed for any access roads or pipeline routes which cross the Ute Indian Reservation Boundary Fence.

A corridor ROW, 30 feet wide and 768 feet long, shall be granted for the pipeline. Existing road to a water injection well adjacent the proposed pad will serve as the access road.

Upon completion of the pertinent APD and ROWs, Shenandoah will notify the Ute Tribe Energy & Minerals Department for a Tribal Technician to verify the Affidavit of Completion. When each pipeline has been constructed and completed as built descriptions will be filed with the Ute Tribal Energy and Minerals Department.

Production waters, oil, and other byproducts shall not be placed on access roads or the well pad.

COAs Page 4 of 4 Well No.: WV 4W-15-8-21

All vehicular traffic, personnel movement, construction and restoration operations will be confined to the areas examined and approved and to the existing roadways and/or evaluated access routes.

Shenandoah will implement "Safety and Emergency Plan" and ensure plan compliance.

Shenandoah shall stop construction activities and notify personnel from the Ute Tribe Energy & Minerals Department and BIA if cultural remains including paleontologic resources (vertebrate fossils) are exposed or identified during construction. The Ute Tribe Department of Cultural Rights and Protection and the BIA will provide mitigation measures prior to allowing construction.

Shenandoah employees and/or authorized personnel (subcontractors) will not be allowed to collect artifacts and paleontologic fossils. No significant cultural resources shall be disturbed.

Shenandoah will control noxious weeds on the well site and ROWs. Shenandoah will be responsible for noxious weed control if weeds spread from the project area onto adjoining land.

Reserve pits will be lined with an impervious synthetic liner. A fence will be constructed around the reserve pit until it is backfilled. Prior to backfilling the reserve pit, all fluids will be pumped from the pit into trucks and hauled to approved disposal sites. When the reserve pits are backfilled, the surplus oil and mud, etc., will be buried a minimum of 3 feet below the surface of the soil.

A closed system will be used during production. This means that production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites.

Surface pipelines will be constructed to lay on the soil surface. The ROW will not be bladed or cleared of vegetation without authorization of the BIA. Surface pipelines shall be welded in place at well sites or on access roads and on other existing roads then pulled into place with suitable equipment. Vehicles shall not use pipeline ROWs as access roads unless specifically authorized.

Before the site is abandoned, Shenandoah will be required to restore the well site and ROWs to near their original state. The disturbed areas will be reseeded with desirable perennial vegetation.

Soil erosion will be mitigated by reseeding all disturbed areas.

### **OPERATOR CHANGE WORKSHEET**

ROUTING
1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed	below has change	2/1/2003									
FROM: (Old Operator):				TO: ( New Operator):							
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526			N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526								
Phone: (435) 781-4341			Phone:	(435) 781-	4341						
	CA No.		Unit:		NSITS V	ALLEY U	JNIT	1			
WELL(S)									1		
NAME	SI	ECTWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid		
WV 9W-11-8-21	111	080S	210E	4304734274	ļ	Federal	GW	APD	С		
WV 11W-11-8-21	11			4304734276		Federal	GW	APD	C		
WV 12W-11-8-21	11	0805	210E	4304734278		Federal	GW	APD	C		
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	С		
WV 15W-11-8-21	11	0808	210E	4304734282	-	Federal	GW	APD	С		
WV 5W-12-8-21	12	0805	210E	4304734270	12436	Federal	GW	DRL	С		
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P			
WV 10W-14-8-21	14	0805	210E	4304734275	12436	Federal	GW	P			
WV 11W-14-8-21	14	0805	210E	4304734277	12436	Federal	GW	P			
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P			
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P			
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	ow	P			
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	С		
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	С		
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C		
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P			
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P			
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	С		
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C		
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	С		

### **OPERATOR CHANGES DOCUMENTATION**

1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 6/2/2003

. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 6/2/2003

3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 6/19/2003

4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If NO, the operator was contacted contacted on:

6. (I	R649-9-2) Waste Management Plan has been received on:	IN PLACE	
7.	Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases	<del>-</del> <del>-</del>	me change,
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for	r wells listed on: <u>7/21/2003</u>	
9.	Federal and Indian Communization Agreements ( The BLM or BIA has approved the operator for all wells listed		
10.	Underground Injection Control ("UIC") The D for the enhanced/secondary recovery unit/project for the water di	vision has approved UIC Form 5, Train posal well(s) listed on:	
DA	TA ENTRY:		
1.	Changes entered in the Oil and Gas Database on:	9/16/2003	
2.	Changes have been entered on the Monthly Operator Change S	oread Sheet on: <u>9/16/2003</u>	
3.	Bond information entered in RBDMS on:	n/a	
4.	Fee wells attached to bond in RBDMS on:	n/a	
ST	ATE WELL(S) BOND VERIFICATION:	0.00 000	
1.	State well(s) covered by Bond Number:	965-003-032	
FE	DERAL WELL(S) BOND VERIFICATION:		
1.	Federal well(s) covered by Bond Number:	ESB000024	
IN	DIAN WELL(S) BOND VERIFICATION:		
1.	Indian well(s) covered by Bond Number:	799446	
FE	E WELL(S) BOND VERIFICATION:		
	(R649-3-1) The NEW operator of any fee well(s) listed covered l	y Bond Number 965-003-033	
	The FORMER operator has requested a release of liability from the Division sent response by letter on:	eir bond on: n/a n/a	
LE	ASE INTEREST OWNER NOTIFICATION:		
	(R649-2-10) The <b>FORMER</b> operator of the fee wells has been corof their responsibility to notify all interest owners of this change of		e Division
co	MMENTS:		
			,



estar Exploration and Production Company

1050 17th Street, Suite 500 Denver, CO 80265

Tel 303 672 6900 · Fax 303 294 9632

**Denver Division** 

dependence Plaza

May 28, 2003

Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

### Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named QEP Uinta Basin, Inc. pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Thelen

Yours truly.

Frank Nielsen

Division Landman

Enclosure

RECEIVED JUN 0 2 2003



### United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

June 9, 2003

QEP Uinta Basin, Inc. 1050 17<sup>th</sup> Street, Suite 500 Denver, Colorado 80265

Re:

Wonsits Valley Unit Uintah County, Utah

#### Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed it name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

**Enclosure** 

bcc: Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Wonsits Valley Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:6/9/03

### JUL 0 7 2003

3104 (932.34)WF Nationwide Bond ESB000024

### **NOTICE**

QEP Uinta Basin, Inc. 1050 17<sup>th</sup> Street Suite 500 Denver, Colorado 80265 Oil and Gas

lease

### Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Wilbert B. Forbes

Land Law Examiner

Branch of Use Authorization

Division of Resources Planning,

S/ wilber + B Forbes

Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin MFO

### SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type lease #	bond #
WVU 16	15	080S	210E	4304715447	5265	Federal	WI .	Α		WONSITS VALLEY		UINTAH	1 U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	Α		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	wi	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 41	15		210E	4304715469		Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 43	11		210E	4304715471		Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 48	10		210E	4304715476		Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 50	15		210E	4304715477		Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	ow	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 55	14		210E	4304720005		Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
YVU 59	14		210E	4304720018		Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
VU 60	15	080S	210E	4304720019	5265	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 62	10		210E	4304720024		Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 65	15	080S	210E	4304720041		Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
			210E	4304720043		Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 68			210E	4304720047		Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 72		080S	210E	4304720058	99990	<del></del>	WI	Α		WONSITS VALLEY		UINTAH	3 ML-2237A	159261960
WVU 73		080S	210E	4304720066		State	WI	Α		WONSITS VALLEY	710 S	UINTAH		159261960
WVU 74	16	080S	210E	4304720078		State	ow	P		WONSITS VALLEY		UINTAH		159261960
WVU 75	16	080S	210E	4304720085		State	ow	Р		WONSITS VALLEY	710 S	UINTAH		159261960
WVU 78	16	080S	210E	4304720115	99990		WI	A		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		UT-0969
WVU 97	11	080S	210E	4304730014		Federal	WI	A		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	ow	Р		WONSITS VALLEY	710 S	UINTAH	I U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
<b>Υ</b> VU 112	15	080S	210E	4304730048	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
VU 124	15	080S	210E	4304730745	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	Α	-	WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVU 128	10	080S	210E	4304730798		Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 132	15	080S	210E	4304730822		Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
	21		210E	4304731047	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	ow	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	ow	Р		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	ow	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	ow	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WVU 133	15	080S	210E	4304731706		Federal	OW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969

### SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	Т	R	api	Entity	Lease Type	type	stat	1	unit_name	field	county	type	lease #	bond #
WVU 144	10	080\$	210E	4304731807	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	Α	1	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	ow	S	1	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	1	WONSITS VALLEY	710 S	UINTAH			UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 119	21	080S	210E	4304732461	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 120	22	080S	210E	4304732462	5265	Federal	WI	Α		WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-22158	UT-0969
WVFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
YVFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
VFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
WVFU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-806	UT-0969
WVFU I1 WG	12	080S	210E	4304733085	12436	Federal	GW	Р		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 81 WG	24	080S	210E	4304733086		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 146 WG	19	0808	220E	4304733128	12436	Federal	GW	P		WONSITS VALLEY	630 S	UINTAH	١	U-057	UT-0969
WVFU 1W-14-8- 21	14	080S	210E	4304733220	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 5W-13- 8-21	13	080S	210E	4304733221	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-3084A	159261960
WVFU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	l	U-022158	UT-0969
WVFU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P		WONSITS VALLEY	710 S	UINTAH		ML-2237	159261960
WVFU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-0807	UT-0969
WVFU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-0806	UT-0969
WVFU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
WVFU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
WVFU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
γVFU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
VFU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
WVFU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH			UT-0969
WVFU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	_1	UTU-02215	UT-0969
WVFU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	C	WONSITS VALLEY	710 S	UINTAH		ML-2237	159261960
WVFU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	_	U-0806	UT-0969
WVFU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-0806	UT-0969
WVFU 3W-18-8-22	18	080S	220E	4304733533		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-057	UT-0969
WVFU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	-	U-0806	UT-0969
WVFU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	-	U-0806	UT-0969
WVFU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH		U-0806	UT-0969
WVFU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	ow	P	T	WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
	22	080S	210E	4304733604	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	j	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	ow	P		WONSITS VALLEY	710		UINTAH		ML-2785	159261960
VFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P		WONSITS VALLEY	2	S	UINTAH		ML-2785	159261960
#VFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH		ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State '	ow	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH		U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH		U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	ow	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
	09	080S	210E	4304733661		Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	ow	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
	01	080S	210E	4304733794	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH		U-0806	UT-0969
	13	080S	210E	4304733796	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808		Federal	GW	P		WONSITS VALLEY	710	S	UINTAH		U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
<b>V</b> VFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	Р	7	WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
VVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	Р		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
	07	080S	220E	4304733816	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
	18	080S	220E	4304733843	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P		WONSITS VALLEY	710		UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH		U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH		U-0806	UT-0969

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	T	unit_name	field	county ty	pe lease #	bond #
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 UTU-06304	UT-0969
	23	080S	210E	4304733904		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0809	UT-0969
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P	Ì	WONSITS VALLEY	710 S	UINTAH	1 U-0804	UT-0969
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0810	UT-0969
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	I U-0807	UT-0969
	17	080S	210E	4304733912	13228	Federal	GW	P		WONSITS VALLEY	2 S	UINTAH	1 UTU-68219	UT-0969
WVFU 13W-11-8-21	11	080S	210E	4304733913		Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
YVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
VFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P	ļ —	WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0806	UT-0969
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 UTU-0806	UT-0969
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-0807	UT-0969
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-9617	UT-0969
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-057	UT-0969
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1 U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	С	WONSITS VALLEY	710 S	UINTAH	1 U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	ow	P		WONSITS VALLEY	2 S	UINTAH	3 ML-2785	159261960
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	ow	P		WONSITS VALLEY	710 S	UINTAH	3 ML-2785	159261960
<b>γν 4W-17-8-22</b>	17	080S	220E	4304734038	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1 U-055	UT-0969
V 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	С	WONSITS VALLEY	710 S	UINTAH	I U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	ow	Р	<b>†</b>	WONSITS VALLEY	710 S	UINTAH	3 ML-2785-A	159261960
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	ow	Р	1	WONSITS VALLEY	710 S	UINTAH	3 ML-2237	159261960
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	ow	P		WONSITS VALLEY	710 S	UINTAH	1 U-0802	UT-0969
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 UTU-0807	U-0969
GH 2W-21-8-21	21	080S	210E	4304734141	<del></del>	Federal	GW	Р	1	WONSITS VALLEY	710 S	UINTAH		U-0969
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P	<b>†</b>	WONSITS VALLEY	710 S	UINTAH		U-0969
	21	080S	210E	4304734143	12436	Federal	GW	P	†	WONSITS VALLEY	710 S	UINTAH	1 UTU-0804	U-0969
	13	080S	210E	4304734144	<del></del>	Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 UTU-0806	
	21	080S	210E	4304734145		Federal	GW	P	1	WONSITS VALLEY	710 S	UINTAH	1 UTU-0804	<del></del>
	22	080S	210E	4304734146		Federal	GW	P	t	WONSITS VALLEY	710 S	UINTAH		U-0969
	11	080S	210E	4304734155	<del>•                                      </del>	Federal	GW	S		WONSITS VALLEY	710 S	UINTAH		UT-0969
	19	080S	220E	4304734187	-	Federal	GW	P		WONSITS VALLEY	630 S	UINTAH	1 UTU-057	UT-0969
WV 4W-23-8-21	23	080S	210E	4304734188	+	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	I UTU-809	UT-0969

### SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-809	UT-0969
WV 11W-16-8-21	16	0805	210E	4304734190	12436		GW	Р		WONSITS VALLEY	710		UINTAH	3 ML-2237	159261960
WV 13W-16-8-21	16	0808	210E	4304734191	12436	State	GW	Р		WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436		GW	Р		WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	<del></del>	GW	P	<u> </u>	WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	Р	1	WONSITS VALLEY	710	S	UINTAH	I UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	Р		WONSITS VALLEY	710		UINTAH	1 U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710		UINTAH	1 U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
VV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
//V 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	I UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264	İ -	Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	С	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 4W-12-8-21	12	0808	210E	4304734268	1	Federal	GW	APD	c	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269	1	Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271		Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276	1	Federal	GW	APD	С	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	С	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
VV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P	1	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
NV 14W-11-8-21	11	080S	210E	4304734280	1	Federal	GW	APD	С	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	Р	Ī	WONSITS VALLEY	710	1 -	UINTAH		UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282	1	Federal	GW	APD	С	WONSITS VALLEY	710	S	UINTAH		
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	ow	Р		WONSITS VALLEY	710	S	UINTAH		UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288	1	State	GW	APD	С	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289	1	Federal	GW	APD	С	WONSITS VALLEY	710	S	UINTAH		UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH		159261960
WV 4W-15-8-21	15	080S	210E	4304734291	1	Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	С	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 5W-15-8-21	15	0808	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P	1	WONSITS VALLEY	710		UINTAH		
WV 10W-15-8-21	15	0805	210E	4304734295		Federal	GW	P	1	WONSITS VALLEY	710		UINTAH	<del> </del>	
WVU 5W-16-8-21	16	080S	210E	4304734321	12436		GW	DRL	T	WONSITS VALLEY	710	S	UINTAH	<del></del>	04127294
WV 7W-16-8-21	16	0805	210E	4304734322	·	State	GW	Р	1	WONSITS VALLEY	710	S	UINTAH	<del></del>	159261960
111 7 7 11 - 10 - 0 - 21	1,0	10000	12.02	1.5041.54522	1.2730	15000	10	1.	1	1 00		1			1.2.2.2.

### SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field	county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	С	WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	ow	APD	C	WONSITS VALLEY	710 8	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	ow	APD	C	WONSITS VALLEY	710 \$	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710 8	UINTAH	1	UTU-057	UT-0969
VV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710 S	UINTAH	1	UTU-057	UT-0969
VV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710 8	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	С	WONSITS VALLEY	710 5	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	С	WONSITS VALLEY	710 5	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	С	WONSITS VALLEY	710 5	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	С	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467	1	Federal	GW	APD	С	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	0808	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	ow	TA	C	WONSITS VALLEY	710 5	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	ow	APD	С	WONSITS VALLEY	710 5	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	ow	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	ow	APD	С	WONSITS VALLEY	710 5	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	ow	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	ow	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	U-0969
VV 15G-7-8-22	07	080S	220E	4304734626		Federal	ow	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	U-0969
VV 11G-7-8-22	07	080S	220E	4304734627		Federal	ow	APD	С	WONSITS VALLEY	710 9	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	ow	APD	C	WONSITS VALLEY	710 5	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	ow	APD	C	WONSITS VALLEY	710 5	UINTAH		UTU-02215	
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610	UINTAH	1	UTU-68219	UT-1237

Form 3160-5 (June 1990)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

to recognize sold and

Lease Designation and Serial No.
UTU-0807

### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

6. If Indian, Allottee or Tribe Name

		UTE TRIBE
SUBMIT.	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
I. Type of Well Oil Gas		i same saya e saka sa
Well X Well Other		8. Well Name and No. WV 4W 15-8-21
2. Name of Operator  QEP UINTA BASIN, INC.		9. API Well No.
3. Address and Telephone No.	Contact: dahn.caldwell@questar.com	43-047-34291
11002 E. 17500 S. VERNAL, UT 84078-8526  4. Location of Well (Foolage, Sec., T., R., M., or Survey Description)	435.781.4342 Fax 435.781.4357	10. Field and Pool, or Exploratory Area  WONSITS VALLEY
NWNW, Sec 15, T8S, R21E 807' FNL, 945' FWL		11. County or Parish, State UINTAH COUNTY, UTAH
12. CHECK APPROPRIATE BOX	K(s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Spud	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Describe Proposed or Completed Operations (Clearly state all pertinent detagive subsurface locations and measured and true vertical depths for all markets.)	ils, and give pertinent dates, including estimated date of starting any proposed work. If vers and zones pertinent to this work)	vell is directionally drilled,

RECEIVED OCT 15 2003

DIV. OF OIL, GAS & MINING

3 - BLM, 2- Utah \( \text{OG&M}, 1 - Denyer, 1 - file Word file-serv	er		DIV. 0.	
14. I hereby certify that the foregoing is true and correct. Signed	Title	Authorized Representative	Date	10/10/03
(This space for Federal or State office use)				
Approved by:	Title		Date	
Conditions of approval, if any				*

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

This well was spud on 10/8/03. Drill 12-1/4" hole to 458' GL. Ran 10 jts 9-5/8" csg to 466' KB.



State of Utah Division of Oil, Gas and Mining

OPERATOR: ADDRESS: QEP Uinta Basin, Inc.

11002 East 17500 South Vernal, Utah 84078-8526

(435)781-4300

OPERATOR ACCT. No. N-2460

**ENTITY ACTION FORM - FORM 6** 

Effective Date Current **New Entity API Number** Well Name QQ SC TP RG County Spud Date Action Entity No. Code No. Uintah 🔻 43-047-34291 WV 4W 15 8 21 **NWNW** 15 88 21E 10/08/03 В WSTC **WELL 1 COMMENTS: WELL 2 COMMENTS:** 

WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

RECEIVED

OCT 15 2003

DIV. OF OIL, GAS & MINING

Signature

Clerk Specialist

10/10/03

Title

Date

Phone No. (435) 781-4342

CONFIDENTIAL

## UNITED STATES DEPARTY "NT OF THE INTERIOR BUREAU LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 20

000 BUREAL LAND MANAGEMENT 5. Lease Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU0807 Do not use this form for proposals to drill or to re-enter an 6. If Indian, Allottee or Tribe Name abandoned well. Use form 3160-3 (APD) for such proposals. UTE TRIBE 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on reverse side. UTU63043C 1. Type of Well 8. Well Name and No. WVFU 4W-15-8-21 ☐ Oil Well Gas Well ☐ Other Name of Operator
 QEP - UINTA BASIN INC 9. API Well No. Contact: RALEEN SEARLE 43-047-34291 E-Mail: raleen.searle@questar.com 10. Field and Pool, or Exploratory 3a. Address 3b. Phone No. (include area code) 11002 EAST 17500 SOUTH Ph: 435.781.4309 WONSITS VALLEY Fx: 435.781.4329 VERNAL, UT 84078 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, and State Sec 15 T8S R21E NWNW 807FNL 945FWL UINTAH COUNTY, UT 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION □ Acidize □ Deepen ☐ Production (Start/Resume) ☐ Water Shut-Off Notice of Intent ☐ Alter Casing ☐ Fracture Treat □ Reclamation ☐ Well Integrity ☐ Subsequent Report ☑ Other ☐ Recomplete ☐ Casing Repair ☐ New Construction Change to Original Change Plans ☐ Plug and Abandon ☐ Temporarily Abandon ☐ Final Abandonment Notice ☐ Convert to Injection ☐ Plug Back ☐ Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) QEP Uinta Basin, Inc. has need to change the depth on this well from what was originally approved of 7800' to 9550'. Approved by the Utah Division of Oil. Gas and Mining COPY SENT TO C Date: 14. I hereby certify that the foregoing is true and correct. Electronic Submission #25109 verified by the BLM Well Information System For QEP - UINTA BASIN INC, sent to the Vernal Name (Printed/Typed) Title REGULATORY AFFAIRS ANALYST RALEEN SEARLE 11/13/2003 Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE RECEIVED Date Title Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

which would entitle the applicant to conduct operations thereon.

Office

Form 3160-5 (August 1999)

### TED STATES DEPART NT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS** 

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

Expires. November 30, 2000						
5. Lease Serial No. UTU-0807						
6. If Indian, Allottee or Tribe Name						

D 4h i	l- f f l- 4- d	will aw 4a wa am4aw a						
abandoned wel	is form for proposals to d II. Use form 3160-3 (APD)	for such proposa	is. 		6. If Indian, Allot UTE TRIBE	tee or Tribe Name		
SUBMIT IN TRI	PLICATE - Other instructi	ons on reverse sid	je.		7. If Unit or CA/A UTU630430	Agreement, Name and/or No.		
1. Type of Well  ☑ Oil Well ☐ Gas Well ☐ Oth	ner	CUNFID	ENTIF		8. Well Name and WV 4W-15-8-			
2. Name of Operator QEP - UINTA BASIN INC	Contact: R	ALEEN SEARLE Mail: raleen.searle@	questar.co	m	9. API Well No. 43-047-3429	91		
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078		3b. Phone No. (include Ph: 435.781.4309 Fx: 435.781.4329	area code)			10. Field and Pool, or Exploratory WONSITS VALLEY		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			<del></del>	11. County or Par	rish, and State		
Sec 15 T8S R21E NWNW 807	7FNL 945FWL				UINTAH CC	OUNTY, UT		
12. CHECK APPE	ROPRIATE BOX(ES) TO	INDICATE NATU	RE OF N	OTICE, F	REPORT, OR OT	HER DATA		
TYPE OF SUBMISSION			TYPE OF	ACTION				
Notice of Intent	☐ Acidize	□ Deepen		☐ Produ	ction (Start/Resume	e)   Water Shut-Off		
_	☐ Alter Casing	☐ Fracture Trea	at	☐ Reclar	nation	□ Well Integrity		
☐ Subsequent Report	☐ Casing Repair	☐ New Constru	ıction	☐ Recon	nplete	Other		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Ab	andon	☐ Tempe	orarily Abandon			
13. Describe Proposed or Completed Ope	☐ Convert to Injection	☐ Plug Back			Disposal			
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fin	pandonment Notices shall be filed inal inspection.) sesting to change the name of	only after all requireme	ents, includi	ng reclamati	on, have been comple	eted, and the operator has		
14. I hereby certify that the foregoing is	Electronic Submission #2 For QEP - U	INTA BASIN INC, SE	ent to the \	/ernal		<del>.</del>		
Name (Printed/Typed) RALEEN	SEARLE	Title	REGULA	ATORY A	FFAIRS ANALYS			
Signature (Electronic	Submission)	Date	12/10/20	003				
	THIS SPACE FOR	R FEDERAL OR	STATE (	OFFICE	USE_			
Approved By  Conditions of approval, if any, are attache certify that the applicant holds legal or equ	d. Approval of this notice does n	ubject lease	Oil, Gr	Division as and	on of Amount of the Mining	⊯ederal Approval Of This Action Is Necessary		
which would entitle the applicant to condu	uct operations thereon.	b <sup>0</sup> f				FOETH ATTORISE		
Fitle 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a ci statements or representations as to	any matter within	wingly and brisdiction.	WITH TO THE	make in any tepart is	To a find the United		

Approved By

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Form 3160-5 (August 1999)	BUNDRY SUNDRY Do not use thi	UNITED STATE PARTMENT OF THE I UREAU OF LAND MANA NOTICES AND REPO IS form for proposals to II. Use form 3160-3 (AP	NTERIOR AGEMENT ORTS ON WELLS Odrill or to re-enter an	~	OMB No Expires: No 5. Lease Serial No. UTU0807	UTU0807  6. If Indian, Allottee or Tribe Name			
	SUBMIT IN TRI	PLICATE - Other instru	ctions on reverse side		7. If Unit or CA/Agree 891008482C	ement, Name and/or No.			
1. Type of Well	☑ Gas Well ☐ Oth	ner	CONFIDENT	TAL	8. Well Name and No. WV 4MU 15 8 21				
2. Name of Ope	rator OAH ENERGY INC	Contact:	ANN PETRIK E-Mail: ann.petrik@questa	ar.com	9. API Well No. 43-047-34291				
3a. Address	T 17500 SOUTH		3b. Phone No. (include are Ph: 435.781.4306 Fx: 435.781.4329	ea code)	10. Field and Pool, or WONSITS VALI				
4. Location of W	Vell (Footage, Sec., T	, R., M., or Survey Description	n)		11. County or Parish,	and State			
Sec 15 T8\$	S R21E NWNW 807	7FNL 945FWL			UINTAH COUN	ry, ut			
	12. CHECK APPE	ROPRIATE BOX(ES) TO	O INDICATE NATURI	E OF NOTICE, I	REPORT, OR OTHE	NATA			
TYPE OF	SUBMISSION		TY	PE OF ACTION					
☐ Notice of	Intent	☐ Acidize	☐ Deepen	☐ Produ	ction (Start/Resume)	□ Water Shut-Off			
_		☐ Alter Casing	□ Fracture Treat	☐ Recla	mation	☐ Well Integrity			
Subseque	nt Report	□ Casing Repair	☐ New Construction ☐ Rec		mplete	☑ Other			
☐ Final Aba	indonment Notice	□ Change Plans	□ Plug and Aban	lon 🔲 Temp	orarily Abandon	Production Start-up			
		☐ Convert to Injection	□ Plug Back	□ Water	· Disposal				
If the proposa Attach the Bo following con testing has be determined th	I is to deepen directiona nd under which the wor npletion of the involved en completed. Final Ab at the site is ready for fi	eration (clearly state all pertine illy or recomplete horizontally, k will be performed or provide operations. If the operation re nandonment Notices shall be final inspection.)	, give subsurface locations and the Bond No. on file with Bissults in a multiple completion led only after all requirements	I measured and true M/BIA. Required so recompletion in	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 shall be filed once			
	ify that the foregoing is  **LTyped** ANN PETI	Electronic Submission For SHENAN	#26639 verified by the BL IDOAH ENERGY INC., se	M Well Information to the Vernal					
- Tamber Times	ANN FEI	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	The A		LOGITAGI				
Signature	(Electronic S	lubri (sston)	Date 0	1/07/2004					
$\mathcal{I}\mathcal{P}$		THIS SPACE FO	OR FEDERAL OR ST	ATE OFFICE	USE				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Office

Form 3160-5 (At gust 1999)

## TED STATES DEPART NT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000

5.	Lease Serial No.	
	UTU-0807	

6.	If Indian, Allottee or Tribe Name UTE TRIBE	
	OTE TRIBE	

SUBMIT IN TRII	PLICATE - Other instruc	ctions on rev	erse sid	9.		7. If Unit or CA/Agr WONSITS VAI	eement, Name and/or No. LEY
Type of Well     ☐ Oil Well    ☐ Gas Well   ☐ Oth	er					8. Well Name and No WV 4MU-15-8-2	
2. Name of Operator QEP - UINTA BASIN INC	Contact:	RALEEN SE E-Mail: raleen.	ARLE searle@q	uestar.co	m	9. API Well No. 43-047-34291	
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078		3b. Phone No Ph: 435.78 Fx: 435.781	1.4309	rea code)		10. Field and Pool, o WONSITS VAI	r Exploratory _LEY
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description	1)				11. County or Parish	, and State
Sec 15 T8S R21E NWNW 807	FNL 845FWL					UINTAH COUI	NTY, UT
12. CHECK APPR	OPRIATE BOX(ES) TO	O INDICATE	NATUR	E OF N	OTICE, RI	EPORT, OR OTHE	ER DATA
TYPE OF SUBMISSION			Γ	YPE OF	ACTION		
Notice of Intent	☐ Acidize	Dee	pen		☐ Product	ion (Start/Resume)	☐ Water Shut-Off
☐ Notice of Intent	☐ Alter Casing	☐ Frac	ture Treat	t	☐ Reclam	ation	☐ Well Integrity
Subsequent Report	□ Casing Repair	☐ Nev	Construc	tion	☐ Recomp	olete	☐ Other
☐ Final Abandonment Notice	☐ Change Plans	🗖 Plug	g and Aba	ndon	☐ Tempor	arily Abandon	
	☐ Convert to Injection	☐ Plug	g Back		☐ Water I	Disposal	
determined that the site is ready for fi	nis well to 9969'.	Accep Utah I Oil, Gas FOR RE	and N	Mining	Y	JA	ECEIVED IN 2 7 2004 DIL, GAS & MINING
14. I hereby certify that the foregoing is	Electronic Submission :	#27134 verified - UINTA BASIN	I by the B INC, ser	LM Well it to the	Information Vernal	System	
Name (Printed/Typed) RALEEN	SEARLE		Title	REGUL	ATORY AF	FAIRS ANALYST	
Signature Kallin (Electronic S	lacle Submission)		Date	01/22/20	004		
	THIS SPACE FO	OR FEDERA	L OR S	TATE	OFFICE U	SE	
							Data
Approved By  Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduct to conduct the applicant the ap	sitable title to those rights in the ct operations thereon.	e subject lease	Office				Date
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a statements or representations a	a crime for any post to any matter w	erson know ithin its jur	ingly and isdiction.	willfully to m	ake to any department o	or agency of the United
		DEDATOR	CHDM	CTED #	* ODED 41	OD SUBMITTE	<b>\</b> **



### **NOTICE OF VIOLATION**

# STATE OF UTAH OIL AND GAS CONSERVATION ACT

To the following operator:	
Name: DEP- LINTA BAS	SIN
Well or Site: WV 4MU-15-8-21	API#: 43-047-34291
Location: Township 85, Range 225 Section	
Date and time of inspection:	DATED 01-22-04
Mailing Address: 11002 E. 17 <u>UERNAL</u> UT	500 S. 84078
Under the authority of the Utah Oil and Gas Outah Code Annotated, 1953, as amended, the Oivision of Oil, Gas and Mining has condescribed site on the above date and has four permit conditions as described below.	e undersigned authorized representative nducted an inspection of the above and alleged violation(s) of the act, rules or
Description of Violation(s):  Rule R649-3-4, No PERMIT  DEEPENING	OBTAINED PRIOR TO
<del></del>	
Additional information/materials attached Y/	(Circle one)
This notice shall remain in effect until it is monotice of an authorized representative of the Mining.	
Compliance Deadline: Comply or	N FUTURE WELLS
Date of service mailing 01-29-04	Time of service mailing 2:00 Pm
Division's Representative	Operator or Representative (If presented in person)

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

#### ITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

Form 3160-5 August 1999)  DE BU SUNDRY I Do not use this abandoned well	<b>~</b>	OMB NO	APPROVED 0. 1004-0135 vember 30, 2000 r Tribe Name				
SUBMIT IN TRIP	PLICATE - Other instruc	tions on reverse side.		7. If Unit or CA/Agree	ment, Name and/or No.		
Type of Well		8. Well Name and No. WV 4MU 15 8 21					
2. Name of Operator QEP UINTA BASIN, INC.		DAHN F CALDWELL E-Mail: dahn.caldwell@questar.ca	om	9. API Well No. 43-047-34291			
3a. Address 11002 E. 17500 S. VERNAL, UT 84078		3b. Phone No. (include area code) Ph: 435.781.4342 Fx: 435.828.8765		10. Field and Pool, or WONSITS VALI			
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description	) .		11. County or Parish,	and State		
Sec 15 T8S R21E NWNW 807				UINTAH COUN	TY, UT		
12. CHECK APPR	12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
TYPE OF SUBMISSION		TYPE OF	ACTION				
	☐ Acidize	☐ Deepen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off		
☐ Notice of Intent	☐ Alter Casing	☐ Fracture Treat	☐ Reclama	ation	☐ Well Integrity		
Subsequent Report     ■	Casing Repair	☐ New Construction	Recomp		☐ Other		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	-	arily Abandon	_		
G I mai Abandonmont Nonce	Convert to Injection	Plug Back	☐ Water I	•			
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandomment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  WV 4MU 15 8 21 was Recompleted (Wasatch Perfs) on 1/19/04 - 1/26/04.  Perf Wasatch 7769' - 7773' & 7592' - 7600'. Frac containing 99,000# 20/40 sand in 42,924 gals.  Perf Wasatch perfs 7056' - 7060', 7085' - 7089', 7206' - 7210' & 7379' - 7381'. Frac gross interval containing 150,000# 20/40 sand in 60,228 gals.  Perf Wasatch 6794' - 6812'. Frac containing 125,000# 20/40 sand in 50,064 gals.  Perf Wasatch 6434' - 6439' & 6634' - 6641'. Frac containing 99,600# 20/40 sand in 43,260 gals.  CIBP @ 8700' and left fill at 8653'.  Final report of Wasatch completion on 1/26/04.  PBTD @ 9811'. EOT @ 7579'.  This will be a test of the Wasatch intervals only as the Mesa Verde is covered with a CBP. Tested on 1/31/04 - 1598 MCFPD, 5.8 BOPD, 42.8 BWPD, on 48/64" choke w/ FTP = 1812#, SICP = 2095#.							

Final report of Wasatch completion on 1/26/04. PBTD @ 9811'. EOT @ 7579'. This will be a test of the Wasatch intervals only as the Mesa Verde is on 1/31/04 - 1598 MCFPD, 5.8 BOPD, 42.8 BWPD, on 48/64" choke	covered with a CBP. Tested w/ FTP = 1812#, SICP = 2095#.						
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #28461 verified For QEP UINTA BASIN,							
Name (Printed/Typed) JIM SIMONTON	Title COMPLETION SUPERVISOR						
Signature Quectronic Submission)	Date 03/08/2004						
THIS SPACE FOR FEDERA	L OR STATE OFFICE USE						
Anomyed By Title Date							
Approved By  Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office						

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United

Form 3160-4 (August 1999)

## UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137

			BUREAU	J OF LA									Expires: No	vemb	er 30, 2000
	WELL C	OMPL	ETION O	R REC	OMPL	ETIO	N REP	ORT	AND LOG	<b>;</b>			ase Serial No. TU-0807		
la. Type of b. Type of	f Well   f Completion	Oil Well		Well [	<b>]</b> Dry Over	□ 0:		] Plug	Back 🔲	Diff. Re	svr.	U	Indian, Allotte TE TRIBE		<u>,</u>
,,		Other										7. Uı	nit or CA Agre	emen	t Name and No.
2. Name of QEP UI	Operator	, INC.			Conta		HN F CA Mail: dahr		ELL well@questar	r.com			ase Name and VV 4MU 15 8		No.
3. Address	11002 E. 1 VERNAL,		'8				3a. Pho Ph: 43	one No 35.781	o. (include area	a code)		9. Al	PI Well No.		43-047-34291
4. Location	of Well (Rep			d in accord	dance wi	th Fede	ral require	ments)	)*			10. F	ield and Pool, ONSITS VA	or Ex	ploratory
At surfa	ce NWNW	/ 807FNL	945FWL				$\cap$ (	TAIL	CIDEM	TIA	i l	11. S	ec., T., R., M.	or B	lock and Survey
At top p	rod interval re	eported be	low NWI	NW 807FI	NL 945F	WL	U	ا¥ال	FIDEN	HIH	L	01	Area Sec 1	5 T8	S R21E Mer SLB
At total	depth NWI	- NW 807F	NL 945FW	L								12. C	County or Paris INTAH	sh	13. State UT
14. Date Sp 10/08/2	oudded		15. Da	ate T.D. Re /18/2003	ached			D&	Completed A Read 8/2003	dy to Pr	od.	17. E	levations (DF 4830		RT, GL)*
18. Total D	epth:	MD TVD	9969	1	9. Plug l	Back T.		ID VD	9811		20. Dep	th Bri	ige Plug Set:		D VD
21. Type El	lectric & Othe PECTRAL D	er Mechan ENSITY	ical Logs R DSN, HRI	un (Submi	t copy of	each)			22.	Was D	ell cored ST run? onal Sur		No □	Yes (	Submit analysis) Submit analysis) Submit analysis)
3. Casing an	nd Liner Reco	rd (Repo	rt all strings	set in well	)		,		<del></del>	-					
Hole Size	Size/Gi	rade	Wt. (#/ft.)	Top (MD)		ttom fD)	Stage Cen Dept		No. of Ska Type of Ce		Slurry (BB		Cement Top	,*	Amount Pulled
12.250	1	325 K55	36.0		_	466	<b></b>		<u> </u>	175			· · · · · · · · · · · · · · · · · · ·	+	
7.875	4.5	00 M80	11.6		+-	9969				2345				-+	
	†				+		<u> </u>							十	
	<u></u>						<u> </u>							L	
Size Size	Depth Set (M	(D) P <sub>0</sub>	icker Depth	(MD)	Size	Dent	h Set (MD)	T <sub>P</sub>	acker Depth (	MD) T	Size	De	pth Set (MD)	T P	acker Depth (MD)
2.375		7579	eker Depin	(MD)	Size	Deja	i ser (ivie)		deker Depart	,,,,	Size		<u> </u>	Ť	
	ng Intervals					26.	Perforation	n Reco	ord						
Fo	ormation		Тор		Bottom		Perf	orated	Interval		Size		lo. Holes		Perf. Status
4)	MESA VE	RDE	<del> </del>	9339	996	9		-	9439 TO 94 9376 TO 93			- -	79.		· · · · · · · · · · · · · · · · · · ·
B) C)		<del></del>				+-			9376 10 9	303		╅			
D)						1									HEIDENTIAL
	racture, Treat	ment, Cen	nent Squeeze	, Etc.											fra example and
1	Depth Interva	ı <b>i</b>	_						mount and Ty						PERIOD
	93	76 TO 94	43 FRAC V	V/ 43,300#	IN 21,25	2 GALS	- 20,000#	SD IN	FORMATION	- SCRE	ENED O	UT		NA !	1-8-05
													· ·	- 1 Im	- Lana cas
-						<del></del>	· · · · · · · · · · · · · · · · · · ·						<u> </u>		
28. Product	tion - Interval	A													
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF		Water BBL	Oil Gr Corr.		Gas Gravity		Product	ion Method		
12/08/2003	12/11/2003	24		6.0	994		8.4		<u>-</u>				FLOWS	FRO	M WELL
Choke Size	Tbg. Press. Flwg. 900	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF		Water BBL	Gas:O Ratio		Well St	itus				
15	SI 900	1037.0			L					P	GW				
28a. Produc	ction - Interva	l B													
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF		Water BBL	Oil G Cort.		Gas Gravity	:	Product	ion Method		

Csg. Press.

24 Hr. Rate

Choke Size

Tbg. Press. Flwg.

Oil BBL

(See Instructions and spaces for additional data on reverse side)
ELECTRONIC SUBMISSION #28374 VERIFIED BY THE BLM WELL INFORMATION SYSTEM
\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

Gas:Oil Ratio

Well Status

Water BBL

MAR 1 0 2004

RECEIVED

DIV. OF OIL, GAS & MINING



Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity		Production Method		
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well St	atus			
28c. Produc	tion - Interva	l D		<u> </u>	<u> </u>	<u> </u>						
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity		Production Method		
Choke Size	Tog. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well St	atus			
29. Disposi	tion of Gas(S	old, used j	for fuel, vent	ed, etc.)								
30. Summa Show al	cluding depti	ones of po	rosity and co	ntents there	of: Cored in tool open,	atervals and a flowing and s	ll drill-stem hut-in pressures		31. For	mation (Log) Mar	kers	
F	ormation		Тор	Bottom		Description	s, Contents, etc.			Name		Top Meas. Depth
									MA G1 WA	EEN RIVER HOGANY LIME ISATCH SA VERDE		2814 3509 5359 6139 9339 9969
32. Additio	nal remarks (	include pl	ugging proce	edure):								
INC. Cemen	nted product	ion csg w				i without	PERMISSION FR Pozmix Tail.	ROM Q	EP, UIN	ITA BASIN,		
	enclosed attac							_	D07 P		4 5''	. a.1 C
5. Suno	trical/Mecha dry Notice fo	r plugging	and cement	verification	1	2. Geologic I 6. Core Anal	ysis	7 (	DST Re Other:		4. Direction	•
34. I hereby	y certify that	the forego		ronic Subn	ission #283	74 Verified l	ect as determined froy the BLM Well I INC., sent to the V	nforms			ched instruction	ns):
Name ()	please print)	JIM SIMO	NOTAC			0	Title COM	PLETI	ON SUI	PERVISOR		
Signatu	ire	(Electron	ic Submiss	ion		X	Date <u>03/02</u>	2/2004				
Title 18 U. of the Unit	S.C. Section ed States any	1001 and false, fict	Title 43 U.S. itious or frad	C. Section I ulent statem	212, make i	t a crime for a	any person knowing to any matter withi	ly and in its jui	willfully risdiction	to make to any de n.	epartment or a	gency

\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\*

MAR 1 0 2004

State of Utah Division of Oil, Gas and Mining

**ENTITY ACTION FORM - FORM 6** 

ADDRESS:

OPERATOR: QEP Uinta Basin, Inc. 11002 East 17500 South

Vernal, Utah 84078-8526

(435)781-4300

OPERATOR ACCT. No. N-2460

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
Đ	12436	14080	43-047-34291	WV 4W 15 8 21	NAMA	15	88	21E	Uintah	10/08/03	3/18/04
VELL 1	COMMENT		D (pro	posed WSTC of	when en	diti	a	sign	ud 10/2003	- 3/10/04	backto
VELL 2	COMMENT	<b>[</b>	<u> </u>			<u> </u>	<u></u>				<u> </u>
									İ		
/ELL 3	COMMENT	rs:									
VELL 4	COMMENT	rs:									
		Π	<u>.</u>	<u> </u>	<u> </u>	T	Г	T 1			
VELL 5	COMMENT	S:	1		<u></u>	L	<u> </u>				
	A - Establis B - Add new C - Re-assk	h n <b>ew ent</b> ity fo v well to existir yn well from or	is on back of form; or new well (single) ing entity (group or ne existing entity to ne existing entity to	well only) unit well) p another existing entity	RECE			<del></del>	Sign	to lin	Halle &
	E - Other (e	xpiain in com	nents section)	८ व शक्स सम्बद्ध	DIV. OF OIL,	GAS &	MININ	IG	<u>Cle</u> Titk	rk Specialist	3/17/04 Date

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

Phone No. (435) 781-4342

Title



Form 3160-5 (June 1990)	DEF TMENT C	O STATES OF THE INTERIOR ID MANAGEMENT	<u>_</u> .	FORM APPROVED  Budget Bureau No. 1004-0135  Expires: March 31, 1993
Do not use this form for proposa	UNDRY NOTICES AN als to drill or to deepen	D REPORTS ON WEL	reservoir	5. Lease Designation and Serial No.  UTU-0807  6. If Indian, Allottee or Tribe Name
				UTE TRIBE
	SUBMIT IN TRIF	PLICATE		7. If Unit or CA, Agreement Designation
Type of Well     Oil Gas		e file e engle ger e	Andrew Company	N/A
Well X Well Other		CONFIDE	NTIAL .	8 Well Name and No.  WVFU 4MU 15-8-21
QEP UINTA BASIN, INC.				9. API Well No.
3. Address and Telephone No.	(	Contact: dahn.caldwell@	questar.com	43-047-34291
11002 E. 17500 S. VERNAL, UT 8		35.781.4342 Fax 435.781.43	<del>-</del>	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Sur	vey Description)			WONSITS VALLEY
NWNW, Sec 15, T8S, R21E 807' FNL, 945' FWL				11. County or Parish, State UINTAH COUNTY, UTAH
12. CHECK APPRO	OPRIATE BOX(s) TO	INDICATE NATURE OF	NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
X Notice of Intent		Abandonment		Change of Plans
21		Barrana ladian	<u> </u>	New Construction
		Recompletion		New Construction
Subsequent Report		Pługging Back		Non-Routine Fracturing
<del></del>		Casing Repair		Water Shut-Off
Final Abandonment Notice		Altering Casing		Conversion to Injection
Fulai Abandonment Notice		Aitering Casing		Conversion to Injection
		X Other Commingling		Dispose Water
				te) Report results of multiple completion on Well inpletion or Recompletion Report and Log form.)
13 Describe Described Complete 10 and 10 described				
Exploration and Production Compa commingling to be in the public interproduction of oil and gas and preser Questar requests approval for the comproduction between the intervals is 1—Two Mesa Verde Zones located a Questar evaluated the decline and a 2—Next a plug is set above the Mesa 7065', 6799'—6817', 6639'—6646' cassigned an EUR to the Wasatch on serve as a baseline.  3—The initial allocation is being est Mesa Verde Production: 20 Wasatch Production: 74—On an annual basis the gas will be set to the production of the company of the production: 75 was the production: 75 was the production: 75 was the production: 96 was the production: 97 was the production: 97 was the production: 97 was the production: 97 was the production: 97 was the production: 98 was the pass will be producted to the production of the prod	ertical depths for all markers and zones pectives of the Federal Regulary hereby requests the comperest in that it promotes may ents no detrimental effects frommingling between the Modescribed below: at these depths: 9376' – 938 assigned an EUR to the Messas as Verde and all 9 Wasatch 2& 6440' – 6445' are compleally. The Wasatch and Mesattimated from the individual 6% - for an EUR of 379 MN 14% - for an EUR of 1,071 M be sampled and a determination is changing over time and the discontinued after the fifter, 1 – file Word file-server	pertinent to this work) actions for Onshore Oil & Gas amingling of production betwee amingling of production betwee amingling of production betwee amingling the two gas a sesa Verde and Wasatch interv as a yes 9439' – 9443' were comp a Verde Only. Zones located 7596' – 7604', 7 ated and put on production. A Verde Zones are then commit EUR's of the Mesa Verde and ACF. AMCF. ation will be made of the BTU and if the allocation needs to be anniversary of the initial pr	Operations and the application intervals in the WVFU overy, prevents waste, prostreams.  First and put on production of the proposed method pleted and put on production of the proposed method pleted and put on production of the proposed method pleted and put on production. The content and gas constitute changed. If these sample oduction.	able Federal Unit Agreement, Questar 4MU 15-8-21. Questar considers this vides for orderly and efficient d to determine the allocation of ion. After approximately 30 days 5', 7211' – 7215', 7090' – 7094', 7061' – is Questar evaluated the decline and sample will be taken and analyzed to
	/			
(This space for Federal or State office use)		erca).		Date
Approved by.  Conditions of approval, if any		Title		Date
Title 18 U.S.C. Section 1001, makes it a crime for an	manage in the state of the stat		he United States any falsa finisis	tions froudy lent-statements or
representations as to any matter within its jurisdiction		make to any superment or again; to	are officer officers any faise, fiction	ONCLARA



### Uinta Basin Division Production allocation scenarios March 22, 2004

### WV 8MU-23-8-21

Kmv 30 day prod	*	Tw 30 day	prod*
1/27/2004	250	3/6/2004	401

transport of the same of the s			
Kmv EUR	226	Tw EUR	575

Allocation by 30 o	Allocation by EUR				
Total Daily	651	Total EUR	801		
Kmv	0.38	Kmv	0.28		
Tw	0.62	Tw	0.72		

### EIH 9MU-35-8-22

Kmv 30 day	prod*	Tw 30 day	prod*
11/19/2003	219	1/4/2004	597

Kmv EUR	144	Tw EUR	957

Allocation by	30 day	Allocation by	/ EUR
Total Daily	816	Total EUR	1101
Kmv	0.27	Kmv	0.13
Tw	0.73	Tw	0.87

### WV 4MU-15-8-21


Kmv 30 da	y prod*	Tw 30 day	prod*
1/2/2004	573	2/21/2004	1178

Kmv EUR	379	Tw EUR	1071


Allocation b	y 30 day	Allocation by EUR		
Total Daily	1751	Total EUR	1450	
Kmv	0.33	Kmv	0.26	
Tw	0.67	Tw	0.74	

<sup>\*</sup> Daily Production at approximately 30 days - refer to Daily Prod tab

WV 4MU-15-8-21 (8S/21E/15/NWNW)



Gas Mtr Grs (MCF)



### These have previously been submitted to the BLM and are being

resubmitted to the state from Ouestar's Denver office.

### STATE OF UTAH


DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

CONFIDENTIAL


	DIVISION OF OIL, GAS AND MINING		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0807
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE TRIBE
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below current bottom laterals. Use APPLICATION FOR PERMIT TO DRILL form for suc	n-hole depth, reenter plugged wells, or to ch proposals.	7. UNIT OF CA AGREEMENT NAME: N/A
1. TYPE OF WELL OIL WELL	GAS WELL OTHER	w w	8. WELL NAME and NUMBER: OUSE 4MU 15 8 21
2. NAME OF OPERATOR:		t. HL	9. API NUMBER: 4304734291
QEP UINTA BASIN, INC  3. ADDRESS OF OPERATOR:	•	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
	TY VERNAL STATE UT ZIP 84078	-8526 (435) 781-4301	NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 807'	FNL, 945' FWL		COUNTY: UINTAH COUNTY
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN: NWNW 15 8 21 S	3	STATE: UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICATE NAT	TURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE DE	EEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING FF	RACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR NE	EW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	PERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING PL	LUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME PL	LUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS PF	RODUCTION (START/RESUME)	WATER SHUT-OFF
		ECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	ECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR (	COMPLETED OPERATIONS. Clearly show all pertinent of	details including dates, depths, volume	es, etc.
"See Attachment - Page	2"		
			RECEIVED
			<del></del>
			JUL n 2 2004
	e e e e e e e e e e e e e e e e e e e		DIV. Change and seems
	CRY SENT TO OPERATOR		
	8-a-04		
	ListerCHO		
	The second secon		
NAME (DI EASE DRINT) Dale Lar		District Production	n Superintendent
NAME (PLEASE PRINT)			- AHDA
SIGNATURE	area out	DATE 6/11/2004	
This space for State use only)	Accepted by the Utah Division of	Federal Approval Of This	
	Oil, Gas and Mining	Action Is Necessary	


(5/2000)

CONFIDENTIAL









### Tw/Kmv COMMINGLED PRODUCTION

### Plat 11 of 13

Centered on

### Section 15-T8S-R21E

Uintah County, Utah

QUESTA	R
Exploration	on
& Production	n
1050 17th St. # 800 Denver, CO 30	265

Geologist: JD Herman	Landman: Angela Page
Engin <del>ear</del> :	Technician:
Date: June 4, 2004	File: 05722MapsiComm 15821.cdr

### Attachment – Page 2

INFN

API #43-047-34291 6/11/2004

"In compliance with the stated objectives of the Federal Regulations for Onshore Oil & Gas Operations and the applicable Federal Unit Agreement, Questar Exploration and Production Company hereby requests the commingling of production between intervals in the OUSG 4MU 15-8-21. Questar considers this commingling to be in the public interest in that it promotes maximum ultimate economic recovery, prevents waste, provides for orderly and efficient production of oil and gas and presents no detrimental effects from commingling the two gas streams.

Questar requests approval for the commingling between the Mesa Verde and Wasatch intervals. The proposed method to determine the allocation of production between the intervals is described below:

- 1 –Two Mesa Verde Zones located at these depths: 9376' 9383' & 9439' 9443' were completed and put on production. After approximately 30 days Questar evaluated the decline and assigned an EUR to the Mesa Verde Only.
- 2 Next a plug is set above the Mesa Verde and all 9 Wasatch Zones located 7596' 7604', 7772' 7776', 7384' 7386', 7211' 7215', 7090' 7094', 7061' 7065', 6799' 6817', 6639' 6646' & 6440' 6445' are completed and put on production. After approximately 30 days Questar evaluated the decline and assigned an EUR to the Wasatch only. The Wasatch and Mesa Verde Zones are then commingled. At that time a gas sample will be taken and analyzed to serve as a baseline.
- 3 The initial allocation is being estimated from the individual EUR's of the Mesa Verde and Wasatch formation. That allocation would be:

Mesa Verde Production: 26% - for an EUR of 379 MMCF.

Wasatch Production: 74% - for an EUR of 1,071 MMCF.

4 – On an annual basis the gas will be sampled and a determination will be made of the BTU content and gas constituents. These annual samples can be used to determine if the gas pool production is changing over time and if the allocation needs to be changed. If these samples do not indicate that any adjustments in allocation are necessary they may be discontinued after the fifth anniversary of the initial production

COMPIDENTIA

### AFFIDAVIT OF NOTICE

STATE OF COLORADO	)	
COUNTY OF DENVER	)	SS

Angela Page, being duly sworn, deposes and says:

- That I am employed by Questar Market Resources in the capacity of Associate Landman. My business address is Independence Plaza 1050 17<sup>th</sup> Street, Suite 500 Denver, CO 80265
- 2. In my capacity as Associate Landman, pursuant to the provisions of Utah Administrative Rule 615-3-22 I have provided a copy of Questar Market Resource's application for completion of the OUSG 4MU 15-8-21 well into two or more pools, in the form of Utah Division of Oil, Gas and Mining's Form 9 Sundry Notice, to owners of all contiguous oil and gas leases or drilling units overlying the pools which are the subject of that application.
- 3. In my capacity as Associate Landman I am authorized to provide such notice of Questar Market Resource's application to contiguous owners and to make this affidavit on this 25<sup>th</sup> day of June, 2004.

Printed Name: Angela Page

The foregoing instrument was sworn to and subscribed before me this 30th day of 2004, by UNIO DO POOD

Notary Public

My Commission Expires 03/28/2005

From:

"Dahn Caldweit" < Dahn. Caldwell@questar.com>

To:

"Carol Daniels" <caroldaniels@utah.gov>

Date:

11/19/04 7:35AM

Subject:

FW: Re: WV 4MU 15-8-21 Commingling Status

FYI!

----Original Message----

From: Dale Larsen

Sent: Thursday, November 18, 2004 6:20 PM

To: Dahn Caldwell

Subject: RE: Re: WV 4MU 15-8-21 Commingling Status

You have interpreted the s.s. correctly. Answer: we are producing commingled MV and Wasatch. The CBP is gone.

Dale

----Original Message-----From: Dahn Caldwell

Sent: Thursday, November 18, 2004 1:41 PM

To: Dale Larsen

Subject: Re: WV 4MU 15-8-21 Commingling Status

Hi Dale,

Carol Daniels from DOGM just called to check on which zone(s) the WV 4MU 15 8 21 well is producing out of. I show in my reports that we submitted two NOI's; one of the BLM form and one on the Form 9 from the State. I looked at the Commingling Spreadsheet and noticed that the State Approved of the commingling, but that we didn't receive approval from the BLM. Is this correct? Merilee Ibarra called Carolyn (the lady in charge of production at the State) and said that we were producing out of two zones, but if we didn't do the commingling won't the CBP still be in place and we would only be producing out of one zone? I think this is the well that the BLM turned down for commingling, but I am not sure.


I believe that I am confusing you and me at this point, but the original question is which zone(s) is this well producing out of.


Thank you for your help,

Dahn Caldwell
Completion Department
Clerk Specialist
435-781-4359 Redwash Office
435-781-4342 Wonsits Valley Office
435-828-0342 Cell Phone
Email address: dahn.caldwell@questar.com

<mailto:dahn.caldwell@questar.com>

MURD + WSTC are two separate P2. See attached SCREEN PRINTS





SUNDRY NOT  Do not use this form for proposals to drill or t	-	FORM APPROVED  Budget Bureau No. 1004-0135  Expires: March 31, 1993  5. Lease Designation and Serial No.  UTU-0807  6. If Indian, Allottee or Tribe Name
Use "APPLICATI	ON FOR PERMIT" for such proposals	UTE TRIBE
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well Oil Gas Well Well Other  Name of Operator		N/A  8. Well Name and No.  WVFU 4MU 15-8-21
QEP UINTA BASIN, INC.		9. API Well No.
3. Address and Telephone No.	Contact: dahn.caldwell@questar.com	43-047-34291
11002 E. 17500 S. VERNAL, UT 84078-8526	435.781.4342 Fax 435.781.4357	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		WONSITS VALLEY
NWNW, Sec 15, T8S, R21E 807' FNL, 945' FWL		UINTAH COUNTY, UTAH
12. CHECK APPROPRIATE BO	OX(s) TO INDICATE NATURE OF NOTICE, RE	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	TION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
·	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Commingling	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
give subsurface locations and measured and true vertical depths for all n On 3/8/04 - 3/11/04 the Commingling of the Wasatot  1 - On 3/8/04 - MIRU Pool Well Service. Well flot  2 - On 3/9//04 - FCP = 500# & FTP = 600# down the street of the		overnight along with the tbg. L down the tbg to kill the well. ND WH & NU bit to 8500' & SIFN. IH w/ bit & tbg & tag fill @ 8168' & clean out sand D @ 9765'. Pull bit to 9359' & land tbg in hanger hours w/ FTP = 500# on a 24/64" choke & SICP =

APR 0 5 2005

DIV OF OIL GAS & MINING

3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Word file-serve	r	DIV. O	1 OIL, GAO & MIN	ind .
14. I hereby certify that the foregoing in true and correct.  Signed Jim Simonton	Title	Completion Supervisor	Date	3/30/05
(This space for Federal or State office use)				
Approved by:	Title		Date	
Conditions of approval, if any				
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully	y to mak	e to any department or agency of the United States any false	;, fictitious or fraudulent s	tatements or



	<b>4U 15-8-21</b> 15, T8S, R21E	TD: 9,969 ' PBTD: 9,765 '	Current Well Status: Flowing Gas Well  Reason for Pull/Workover:
PI#:43-047- 34291			Commingle Wasatch and Mesa Verde Zones.
intah County, Utah			
	Wellbore Schematic		Tubing Landing Detail:
	JEI/011124-5		Description Size Footage Depth 15.00 15.00
	1 1		KB 13.65 15.65 Hanger 0.41 15.41
urface casing ze: 9-5/8"			284 tts 2-3/8" 2-3/8" 9,310.23 9,325.64
ze: 9-5/8" /eight: 36#			F-nipple w/1.81" ID 2-3/8" 0.91 9,326.55
rade: K-55			1 jt 2-3/8 tug
et @ 466'			Pup off sub 0.91 9,359.96  EOT   9,359.96
mtd w/ 175 sks lole size: 12-1/4"			
	-1   ["	_	Tubing Information:
			Condition: New: X Used: Rerun:
		TOC @ 750 '	Grade: 1-55 EUE 8rd
		,550	Weight (#/ft): 4.7#
XCLUDED PERFS		OPEN PERES	Sucker Rod Detail:
			Size #Rods Rod Type
			Rod Information
			Condition: New: Used: Rerun <u>:</u>
			Grade:
			Manufacture:
			Pump Information:
			API Designation
			Example: 25 x 150 x RHAC X 20 X 6 X 2
			Pump SN#: Original Run Da <u>te:</u>
			RERUN NEW RUN
		5 43 41 5 4301 Warratch	ESP Well         Flowing Well           Cable Size:         SN @ 9326 '
		6434' - 6439' Wasatch	Pump Intake @ ' PKR @
			End of Pump @ EOT @ 9360 '
			Weithead Detail: Example: 7-1/16" 3000#
			Wellhead Detail: Example: 7-1/10 3000# 4-1/16" 10,000#
		6634' - 6641' Wasatch	
			Other: Hanoer: Yes X No
			Hanger: Yes <u>X</u> No
		6/94 0815. Mazarcii	SUMMARY
	** 1 1		Zone 1 - Mesa Verde 9439' - 9443' & 9376' - 9383'. Frac: 43,300# Econoprop.
		70551 70501 Waeatch	Reconstition: 1/19/04 – 1/26/04
		7056' - 7060' Wasatch	Recompletion: 1/19/04 - 1/25/04  0-19
		<b>=</b> ' ' ' ' '	Recompletion: 1/19/04 – 1/26/04  Perf Wesatch 7769 – 7777 & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# #/a sand in 42,924  gals at ATR = 4.05 BM4, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasatch Perfs 7056' – 7060', 7065' –  gals at ATR = 4.05 BM4, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasatch Perfs 7056' – 7060', 7065' –
		7085' - 7090' Wasatch	Recompletion: 1,/19/04 - 1,/26/04  Perf Wesatch 7769 - 7777 & 7597 - 7600'. Frac w/ Delta 25# containing 99,000# "/a sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasatch Perfs 7056' - 7060', 7065' - 7060' - 7210' & 7399' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7210' & 7598' - 7580'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7210' & 7598' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7210' & 7598' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7598'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'. Frac gross interval w/ Delta #20 containing 150,000# "/a sand in 60,7206' - 7581'.
		<b>=</b> ' ' ' ' '	Recompletion: 1/19/04 – 1/26/04  Perf Wasach 7769 – 7773 & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# #/ <sub>a</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasatch Perfs 7056' – 7060', 7065' – 7069', 7206' – 7210' & 7309' – 7381'. Frac gross interval w/ Delta #20 containing 150,000# #/ <sub>a</sub> sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasatch 6794' – 6612'. Frac containing 150,000# #/ <sub>a</sub> sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasatch 6794' – 6612'. Frac w/ 150,000# #/ <sub>a</sub> sand in 50,000# #/ <sub>a</sub> sand in 69,228 gals at ATR = 30 BPM, ATP = 2750 psig. ISIP = 1725 psig.
		7085' - 7090' Wasatch	Recompletion: 1/19/04 – 1/26/04  Perf Wesalch 7769 – 7773 & 7592 – 7600*. Frac w/ Delta 25# containing 99,000# #/ <sub>e</sub> sand in 42,924  gals at ATR = 40,5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wesalch Perfs 7056* – 7060*, 7065* – 7069*, 7206* – 7210* & 7399* – 7381*. Frac gross interval w/ Delta #20 containing 150,000# #/ <sub>e</sub> sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wesalch 6794* – 6612*. Frac w/ Delta 2/M* containing 155,000# #/ <sub>e</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2750 psig, ISIP = 1725 psig. Delta 2/M* containing 155,000# #/ <sub>e</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2750 psig, ISIP = 1725 psig.
		7085' - 7090' Wasatch	Recompletion: 1/19/04 - 1/26/04  Perf Wasalch 7769' - 7773' & 7592' - 7600'. Frac w/ Delta 25# containing 99,000# **/e sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' - 7060', 7085' - 7080', 7206' - 7210' & 7379' - 7381'. Frac gross interval w/ Delta #20 containing 150,000# **/e sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' - 6812'. Frac w/ Delta 20# containing 125,000# **/e sand in 50,044 gals at ATR = 30 BPM, ATP = 2730 psig, ISIP = 2450 psig. Perf Wasalch 6434' - 6439' & 6634' - 6641'. Frac w/ Delta 20# containing 99,600# **/e sand in 43,350 gals at ATR = 40.5 BPM, ATP = 350 psig, ISIP = 2070 psig. CBP @ 8760' and left fill
		7085' - 7090' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7773' & 7592' – 7600'. Frac w/ Delta 25# containing 99,000# */e sand in 42,924 gals at ATR = 40.5 BM4, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' – 7069', 7266' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #20 containing 150,000# */e sand in 60,228 gals at ATR = 45 BM4, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# */e sand in 50,064 gals at ATR = 30 BM4, ATP = 2799 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6439' & 6639' – 6641'. Frac w/ Delta 20# containing 99,600# */e sand in 43,260 gals at ATR = 40.5 BM4, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 8700' and left fill at 8653'. Final report of Wasalch completion on 1/2504'.
		7085' - 7090' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7773' & 7592' – 7600'. Frac w/ Delta 25# containing 99,000# */e sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' – 7069', 706 – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #20 containing 150,000# */e sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# */e sand in 50,064 gals at ATR = 30 BPM, ATP = 2799 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6439' & 6639' – 6641'. Frac w/ Delta 20# containing 99,600# */e sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/2504'.  ONSICP = 1300# on a 12,64" choice w/ FIP = 1100 psig, SICP = 900 psig. TWOTP. This will be a fest of
		7085' - 7090' Wasatch	Recompletion: 1/19/04 – 1/26/04  Perf Wasalch 7769' – 7773' & 7592' – 7600'. Frac w/ Delta 25# containing 99,000# **/e sand in 42,924 gals at ATR = 40.5 BM4, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7085' – 7089', 7206' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #20 containing 150,000# **/e sand in 60,228 gals at ATR = 45 BM4, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/e sand in 50,064 gals at ATR = 30 BM4, ATP = 2799 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6439' & 6639' – 6641'. Frac w/ Delta 20# containing 99,600# **/e sand in 43,260 gals at ATR = 40.5 BM4, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 8700' and left fill at 8653'. Final report of Wasalch Completion on 1/2504.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch	Recompletion: 1,/19/04 – 1/26/04  Perf Wasalch 7769' – 7777' 8: 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>e</sub> sand in 42,924 gals at ATR = 40.5 BM4, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' – 7069', 7266' – 7266' A 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>e</sub> sand in 60,228 gals at ATR = 45 BM4, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>e</sub> sand in 50,064 gals at ATR = 30 BM4, ATP = 2799 psig, ISIP = 2450 psig. Perf Wasalch 6494' – 6439' 8: 6639' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>e</sub> sand in 43,250 gals at ATR = 40.5 BM4, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 8700' and left fill at 8653'. Final report of Wasalch completion on 1/26/04.  ONSICP = 1300# on a 1264' choice w/ FTP = 1100 psig, SICP = 900 psig. TWOTP. This will be a test of the Wasalch intervals only as the Mesa Verde is covered with a CIBP.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 1773' & 7592' – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>es</sub> sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7085' – 7080', 7266' – 7260' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>es</sub> sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>es</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2799 psig, ISIP = 2450 psig. Perf Wasalch 6494' – 6439' & 6639' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>es</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 8700' and left fill at 8653'. Final report of Wasalch completion of 126,044.  ONSICP = 1300# on a 1264' choice. Ç/O to P870 @ 9811'. Land prod tubing w/ BOT @ 7579'. Kidoff well and lest on *** <sub>eff</sub> 'choice w/ FTP = 1100 psig, SICP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Missa Vende is covered with a GIRP.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple © 9327 ' EOT © 9360 '	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple © 9327 ' EOT © 9360 '	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
Production Casino		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple © 9327 ' EOT © 9360 '	Recompletion: 1/19/04 – 1/26/04  Perf Wasalch 7769' – 1773' b. 7592' – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ex</sub> sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7085' – 7089', 7206' – 7210' b. 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ex</sub> sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6612'. Frac w/ Delta 20# containing 125,000# **/ <sub>ex</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2750 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' b. 6639' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ex</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 8700' and left fill at 8653'. Fraal report of Wasalch completion on 1/25/04'.  ONSICP = 1300# on a 12/64" choixe. (*) to PBTD @ 9811'. Land prod lubing w/ BDT @ 7579'. Rockoff well and left on **extra fill of the Wasalch intervals only as the Masalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out dvalg @ 8700' & push plug to 9765'.
Production Casing Size: 4-1/2"		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple @ 9327 ' EOT @ 9360 ' 9376' - 9383' Mesa Verde	Recompletion: 1/19/04 – 1/26/04  Perf Wasalch 7769' – 1773' b. 7592' – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ex</sub> sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7085' – 7089', 7206' – 7210' b. 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ex</sub> sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6612'. Frac w/ Delta 20# containing 125,000# **/ <sub>ex</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2750 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' b. 6639' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ex</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 8700' and left fill at 8653'. Fraal report of Wasalch completion on 1/25/04'.  ONSICP = 1300# on a 12/64" choixe. (*) to PBTD @ 9811'. Land prod lubing w/ BDT @ 7579'. Rockoff well and left on **extra fill of the Wasalch intervals only as the Masalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out dvalg @ 8700' & push plug to 9765'.
Size: 4-1/2" Weight: 11.6#		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple © 9327 ' EOT © 9360 ' 9376' - 9383' Mesa Verde	Recompletion: 1/19/04 - 1/26/04  Perf Wasakh 7769' - 7777' & 7592' - 7600'. Frac w/ Delta 25# containing 99,000# "/e sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasakh Perfs 7056' - 7060', 7085' - 7069', 7206' - 77206' - 77309', 7399' - 7381'. Frac gross interval w/ Delta #28 containing 150,000# "/e sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1775 psig. Perf Wasakh 6794' - 6612'. Frac w/ Delta 20# containing 125,000# "/e sand in 60,228 gals at ATR = 40.5 BPM, ATP = 3730 psig, ISIP = 2790 psig, ISIP = 2790 psig. SIP = 2790 psig. SIP = 2790 psig. SIP = 2790 psig. SIP = 38450 psig. Perf Wasakh 6434' - 6439' & 6639' - 6641'. Frac w/ Delta 20# containing 99,600# "/e sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3590 psig. ISIP = 2070 psig. CIBP @ 6760' and left fill at 8653'. Final report of wheath completion on 1/250' be 1300# on a 12,60" droke w/ FTP = 1100 psig, SICP = 900 psig. TWOTP. This will be a lest of the Wasakh intervals only as the Mesa Vende is covered with a CIP.  3/8/04 - 3/11/04 - Commingle Wasatch and Mesa Vende Zones.  Drill out plug @ 8700' & push plug to 9765'.  Used 400 2% KCL water - recovered 80% water back.
Size: 4-1/2" Weight: 11.6# Grade: M-80		7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple @ 9327 ' EOT @ 9360 ' 9376' - 9383' Mesa Verde	Recompletion: 1,/19/04 – 1,/26/04  Perf Wasalch 7769' – 7173' & 7592 – 7600'. Frac w/ Delta 25# containing 99,000# **/ <sub>ea</sub> sand in 42,924  gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasalch Perfs 7056' – 7060', 7065' –  7089', 7236' – 7210' & 7379' – 7381'. Frac gross interval w/ Delta #28 containing 150,000# **/ <sub>ea</sub> sand in 62,28 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1725 psig. Perf Wasalch 6794' – 6812'. Frac w/ Delta 20# containing 125,000# **/ <sub>ea</sub> sand in 50,064 gals at ATR = 30 BPM, ATP = 2759 psig, ISIP = 2450 psig. Perf Wasalch 6434' – 6432' & 6634' – 6641'. Frac w/ Delta 20# containing 99,600# **/ <sub>ea</sub> sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3750 psig, ISIP = 2070 psig. CIBP @ 6700' and left fill at 8653'. Final report of Wasalch completion on 1/25,04'.  ONSICP = 1300# on a 12,64" choice w/ FTP = 1100 psig, SCP = 900 psig. TWOTP. This will be a lest of the Wasalch intervals only as the Masalch intervals only as the Masalch and Mesa Verde Zones.  3/8/04 - 3/11/04 - Commingle Wasalch and Mesa Verde Zones.  Drift out plug @ 8700' & push plug to 9765'.
Size: 4-1/2" Weight: 11.6#	Fish	7085' - 7090' Wasatch 7206' - 7210' Wasatch 7379' - 7381' Wasatch 7592' - 7600' Wasatch 7769' - 7773' Wasatch F Nipple © 9327 ' EOT © 9360 ' 9376' - 9383' Mesa Verde	Recompletion: 1/19/04 - 1/26/04  Perf Wasakh 7769' - 7777' & 7592' - 7600'. Frac w/ Delta 25# containing 99,000# "/e sand in 42,924 gals at ATR = 40.5 BPM, ATP = 2490 psig, ISIP = 1560 psig. Perf Wasakh Perfs 7056' - 7060', 7085' - 7069', 7206' - 77206' - 77309', 7399' - 7381'. Frac gross interval w/ Delta #28 containing 150,000# "/e sand in 60,228 gals at ATR = 45 BPM, ATP = 3000 psig, ISIP = 1775 psig. Perf Wasakh 6794' - 6612'. Frac w/ Delta 20# containing 125,000# "/e sand in 60,228 gals at ATR = 40.5 BPM, ATP = 3730 psig, ISIP = 2790 psig, ISIP = 2790 psig. SIP = 2790 psig. SIP = 2790 psig. SIP = 2790 psig. SIP = 38450 psig. Perf Wasakh 6434' - 6439' & 6639' - 6641'. Frac w/ Delta 20# containing 99,600# "/e sand in 43,260 gals at ATR = 40.5 BPM, ATP = 3590 psig. ISIP = 2070 psig. CIBP @ 6760' and left fill at 8653'. Final report of wheath completion on 1/250' be 1300# on a 12,60" droke w/ FTP = 1100 psig, SICP = 900 psig. TWOTP. This will be a lest of the Wasakh intervals only as the Mesa Vende is covered with a CIP.  3/8/04 - 3/11/04 - Commingle Wasatch and Mesa Vende Zones.  Drill out plug @ 8700' & push plug to 9765'.  Used 400 2% KCL water - recovered 80% water back.



### United States Department of the Interior

### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

June 28, 2005

QEP Uinta Basin, Inc. Attn: Angela Page 1050 Seventeenth Street, Suite 500 Denver, Colorado 80265

Re:

Initial Consolidated

Wasatch-Mesaverde-Mancos Formation PA

Wonsits Valley Unit Uintah County, Utah

#### Gentlemen:

The Initial Consolidated Wasatch-Mesaverde-Mancos Formation PA, Wonsits Valley Unit, CRS No. UTU63043D, AFS No. 891008482D is hereby approved effective as of March 10, 2004, pursuant to Section 11 of the Wonsits Valley Unit Agreement, Uintah County, Utah.

The Initial Consolidated Wasatch-Mesaverde-Mancos Formation PA results in an Initial Participating Area of 8,022.50 acres. Copies of the approved request are being distributed to the appropriate agencies and one copy is returned herewith. Please advise all interested parties of the establishment of the Initial Consolidated Wasatch-Mesaverde-Mancos Formation PA, Wonsits Valley Unit, and the effective date.

Sincerely,

/s/ Terry Catlin

Terry Catlin Acting Chief, Branch of Fluid Minerals

#### Enclosure

bcc:

Division of Oil, Gas & Mining

SITLA

Wonsits Valley Unit w/enclosure Field Manager - Vernal w/enclosure

Agr. Sec. Chron. Reading File Central Files RECEIVED

DIV. OF OIL, GAS & MINING

UT922:TATHOMPSON:tt:6/28/05

### WONSITS VALLEY WASATCH/MESAVERDE/MANCOS PARTICIPATING AREA Effective 3/10/2004 per BLM

			10/2004 per BL	,		.,	T	
· ·	From Entity	Well	API	Sec	Twsp	Rng	Q/Q	Unit
Eff Date	to PA Entity							
8/30/2005 1	12436 to 14864	WVFU 5W-13- 8-21	4304733221	13	080S	210E	SWNW	Wonsits Valley
	12436 to 14864	WVFU 9W-13-8-21	4304733223	13	080S		NESE	Wonsits Valley
8/30/2005 1	12436 to 14864	WVFU 7W-13-8-21	4304733270	13	080S	210E	SWNE	Wonsits Valley
	12436 to 14864	WVFU 1W-13-8-21	4304733532	13	080S		NENE	Wonsits Valley
	12436 to 14864	WVFU 11W-13-8-21	4304733536	13	080S	<b>+</b>	NESW	Wonsits Valley
	12436 to 14864	WVFU 3W-13-8-21	4304733603	13	080S		NENW	Wonsits Valley
8/30/2005 1	12436 to 14864	WVFU 13W-13-8-21	4304733606	13	080S	+	swsw	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 15W-13-8-21	4304733608	13	080S		SWSE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 2W-13-8-21	4304733791	13	080S	210E	NWNE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 6W-13-8-21	4304733792	13	080S	210E	SENW	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 8W-13-8-21	4304733793	13	080S	210E	SENE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 10W-13-8-21	4304733795	13	080S	<del> </del>	NWSE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 16W-13-8-21	4304733796	13	080S		SESE	Wonsits Valley
	2436 to 14864	WVFU 12W-13-8-21	4304733961	13	080S		NWSW	Wonsits Valley
	2436 to 14864	WVFU 14W-13-8-21	4304733962	13	080S		SESW	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 4W-13-8-21	4304734144	13	080S	210E	NWNW	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 1W-14-8- 21	4304733220	14	080S	210E	NENE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 9W-14-8-21	4304733269	14	080S	210E	NESE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 13W-14-8-21	4304733607	14	080S	210E	swsw	Wonsits Valley
	2436 to 14864	WVFU 5W-14-8-21	4304733953	14	080S		SWNW	Wonsits Valley
	2436 to 14864	WVFU 7W-14-8-21	4304733955		080S		SWNE	Wonsits Valley
	2436 to 14864	WVFU 8W-14-8-21	4304733958	14	080S	<del></del>	SENE	Wonsits Valley
	2436 to 14864	WVFU 15W-14-8-21	4304733963	14	080S	<del></del>	SWSE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 2W-14-8-21	4304734140	14	080S		NWNE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 4W-14-8-21	4304734244	14	080S		NWNW	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 6W-14-8-21	4304734271	14	080S		SENW	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 10W-14-8-21	4304734275	14	080S	210E	NWSE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 11W-14-8-21	4304734277	14	080S	210E	NESW	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 12W-14-8-21	4304734279	14	080S	210E	NWSW	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 14W-14-8-21	4304734281	14	080S	210E	SESW	Wonsits Valley
								_
8/30/2005 1	2436 to 14864	WVFU 1W-15-8-21	4304733902	15	080S	210E	NENE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 11W-15-8-21	4304733911	15	080S	210E	NESW	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 13W-15-8-21	4304733914	15	080S	210E	SWSW	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 15W-15-8-21	4304733917	15	080S	210E	SWSE	Wonsits Valley
8/30/2005 1	2436 to 14864	WVFU 9W-15-8-21	4304733959	15	080S	210E	NESE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 2W-15-8-21	4304734242	15	080S	210E	NWNE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 7W-15-8-21	4304734246	15	080S	210E	SWNE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 8W-15-8-21	4304734247	15			SENE	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 14W-15-8-21	4304734249	15	080S	210E	SESW	Wonsits Valley
8/30/2005 1	2436 to 14864	WV 16W-15-8-21	4304734251	15	080S	210E	SESE	Wonsits Valley
	2436 to 14864	WV 3MU-15-8-21	4304734289	15			NENW	Wonsits Valley
	4413 to 14864	WV 3MU-15-8-21	4304734289	15			NENW	Wonsits Valley
	2436 to 14864	WV 4MU-15-8-21	4304734291	15			NWNW	Wonsits Valley
	4080 to 14864	WV 4MU-15-8-21	4304734291	15			NWNW	Wonsits Valley
	2436 to 14864	WV 5MU-15-8-21	4304734293				SWNW	Wonsits Valley
8/30/2005   1			4304734293				SWNW	Wonsits Valley
	4086 to 14864	WV 5MU-15-8-21	4304734293	10	0000	2101		I TO CALDING TO CALLE T
8/30/2005 1		WV 5MU-15-8-21 WV 6W-15-8-21	4304734293				SENW	Wonsits Valley
8/30/2005 1 8/30/2005 1	2436 to 14864		4304734294	15	080S	210E		

### Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

COMMENTS: THIS IS A COMPANY NAME CHANGE.

ROUTING	
1. DJJ	
2. CDW	

Change of Operator (Well Sold) X - Operator Name Change/Merger The operator of the well(s) listed below has changed, effective: 1/1/2007 TO: ( New Operator): FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. N5085-Questar E&P Company 1050 17th St, Suite 500 1050 17th St, Suite 500 Denver, CO 80265 Denver, CO 80265 Phone: 1 (303) 672-6900 Phone: 1 (303) 672-6900 WONSITS VALLEY UNIT CA No. **Unit:** SEC TWN RNG API NO LEASE TYPE WELL WELL **WELL NAME ENTITY STATUS** NO TYPE SEE ATTACHED LISTS OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007 4/16/2007 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 1/31/2005 4a. Is the new operator registered in the State of Utah: Business Number: 764611-0143 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE 5b. Inspections of LA PA state/fee well sites complete on: n/a 5c. Reports current for Production/Disposition & Sundries on: n/a Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007 Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: 9. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to **Inject,** for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: **DATA ENTRY:** 1. Changes entered in the Oil and Gas Database on: 4/30/2007 and 5/15/2007 Changes have been entered on the Monthly Operator Change Spread Sheet on: 4/30/2007 and 5/15/2007 4/30/2007 and 5/15/2007 Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007 Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007 Receipt of Acceptance of Drilling Procedures for APD/New on: n/a **BOND VERIFICATION:** 1. Federal well(s) covered by Bond Number: ESB000024 Indian well(s) covered by Bond Number: 799446 3a. (R649-3-1) The NEW operator of any state/fee well(s) listed covered by Bond Number 965003033 3b. The FORMER operator has requested a release of liability from their bond on: LEASE INTEREST OWNER NOTIFICATION: 4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q S	EC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	Α
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	Α
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	Α
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	Α
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENW	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENW	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	Α
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	:P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENW	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	Α
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145		18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121		14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2		21	080S	210E	4304732016		Federal	OW	P
WVU 130	WV 130		22	080S	210E	4304732307	<del></del>	Federal	OW	P
WVU 71-2	WV 71-2				210E	4304732449		Federal	WI	A

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8- 21	WV 1W-14-8- 21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13- 8-21	WV 5W-13- 8-21	SWNW	13	080S	210E	4304733221		Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	+	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295		Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493		Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494		Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495		Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496			GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864		GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533			GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602		Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603		Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604		Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605		Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606		Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	Р
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	Р
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	-1	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENW	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENW	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	-	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251		Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265		Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267		Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268		Federal	GW	DRL

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431	•	Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432	,	Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433	•	Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664	1	Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736	<del></del>	Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	Α
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	Α
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P.
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290	,	State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16		210E		14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864		GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864		GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	+	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	-	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864		GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	·	GW	P

## QEP Uinta Basin (N2460) to QUESTAR E and P (N5085) WONSITS VALLEY UNIT

Original Well Name	riginal Well Name & No.		SEC	TWP	RNG	API	Entity Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872	State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735	State	GW	APD

#### STATE OF UTAH

RΙ	

	DIVISION OF OIL, GAS AND MI		1	5. LEASE DESIGNATION AND SERIAL NUMBER:						
	DIVIDION OF OIL, GAS AND WI	INING		see attached						
	Y NOTICES AND REPORT			IF INDIAN, ALLOTTEE OR TRIBE NAME:     See attached     UNIT of CA AGREEMENT NAME:						
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below cur laterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole dep form for such proposa	th, reenter plugged wells, or to als.	see attached						
TYPE OF WELL OIL WELL	GAS WELL OTHER_			8. WELL NAME and NUMBER: see attached						
2. NAME OF OPERATOR:				9. API NUMBER:						
QUESTAR EXPLORATION  3. ADDRESS OF OPERATOR:	ON AND PRODUCTION COMPAN	NΥ		attached						
1050 17th Street Suite 500 4. LOCATION OF WELL	Denver STATE CO ZIP	80265	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:						
FOOTAGES AT SURFACE: attach	ned			соинту: Uintah						
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN:			STATE: UTAH						
11. CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPOF	RT, OR OTHER DATA						
TYPE OF SUBMISSION		T	YPE OF ACTION							
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION						
(Submit in Duplicate)  Approximate date work will start:	ALTER CASING	FRACTURE		SIDETRACK TO REPAIR WELL						
1/1/2007	CASING REPAIR  CHANGE TO PREVIOUS PLANS	☐ NEW CONS		TEMPORARILY ABANDON						
1/1/2007	CHANGE TUBING	PLUG AND		Using Repair Vent or Flare						
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL						
(Submit Original Form Only)	CHANGE WELL STATUS		ON (START/RESUME)	WATER SHUT-OFF						
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	=	ION OF WELL SITE	✓ отнек: Operator Name						
Company of the Compan	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION	Change						
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all p	pertinent details inc	luding dates, depths, volume	s. etc.						
Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) Utah State Bond Number: 965003033 Fee Land Bond Number: 965003033 Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.  Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc. Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list  Jay B. Neese, Executive Vice President Questar Exploration and Production Company										
NAME (PLEASE PRINT) Debra K. S	Stanberry	TITLE	2/46/2027	atory Affairs						
SIGNATURE L'ALL	y many	DATE	0/10/2007	7944 data and an analysis of the second seco						
This space for State use only)										

RECENTED

#### STATE OF UTAH

FORM 9

	DIVISION OF OIL, GAS AND MI			5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
SUNDR	Y NOTICES AND REPORTS	S ON WEL	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
Do not use this form for proposals to drill	I new wells, significantly deepen existing wells below cur	rrent bottom-hole dep	th, reenter plugged wells, or to	7. UNIT or CA AGREEMENT NAME: See attached
1 TYPE OF WELL OIL WELL	I laterals Use APPLICATION FOR PERMIT TO DRILL!  L GAS WELL OTHER	form for such proposa	ils.	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	- GAO WELL GOTHER			see attached
QUESTAR EXPLORATION	ON AND PRODUCTION COMPAN	٧Y		attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500	Denver STATE CO	80265	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL		**************************************		
FOOTAGES AT SURFACE: attacl	ned			соинту: <b>Uintah</b>
QTR/QTR, SECTION, TOWNSHIP, RA	.NGE, MERIDIAN:	·		STATE: UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION	
PER THE ATTACHED LI	ACIDIZE  ALTER CASING  CASING REPAIR  CHANGE TO PREVIOUS PLANS  CHANGE TUBING  CHANGE WELL NAME  CHANGE WELL STATUS  COMMINGLE PRODUCING FORMATIONS  CONVERT WELL TYPE  COMPLETED OPERATIONS. Clearly show all p  ST OF WELLS, QUESTAR EXPLORES  ES BE UPDATED IN YOUR RECO	RECLAMATI RECOMPLE  pertinent details inc  ORATION AN	TRUCTION CHANGE ABANDON ON (START/RESUME) ON OF WELL SITE ITE - DIFFERENT FORMATION Luding dates, depths, volume	REPERFORATE CURRENT FORMATION  SIDETRACK TO REPAIR WELL  TEMPORARILY ABANDON  TUBING REPAIR  VENT OR FLARE  WATER DISPOSAL  WATER SHUT-OFF  OTHER: Well Name Changes  Des, etc.  COMPANY REQUESTS THAT THE
NAME (PLEASE PRINT) Debra K.	Stapperry	TITLE	Supervisor, Regu	atory Affairs
SIGNATURE	Meden	A DATE	4/17/2007	
This space for State use only)			Control of the contro	

PECENCO

APR 1.9 2007



### United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Wonsits Valley Unit Uintah County, Utah

#### Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

#### **Enclosure**

pcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - Wonsits Valley Unit (w/enclosure)

Agr. Sec. Chron Reading File Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 3 0 2007

DIV. OF OIL, GAS & MINING

#### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

#### **ENTITY ACTION FORM**

Operator

Questar Exploration and Production Co.

Zip

84078

Operator Account Number: N

5085

Address:

11002 E. 17500 S.

City Vernal

State

UT

Phone Number: (435) 781-4399 4342

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng County				
4304734288	WV 1N	/U-16-8-21	NENE	16	080S	210E UINTAH				
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date					
D	D 14864 17123			, <u>'</u>		11/1/2007				
Comments:	Comments: WMMFD		1/29/2009							

#### Well 2

API Number	Well Name		QQ	QQ Sec Twp			County	
4304734289	WV 3M	1U-15-8-21	NENW	15	080\$	210E	UINTAH	
Action Code	Current Entity Number	New Entity Number	Spud Da		Entity Assignment Effective Date			
D	14864	17123					11/1/2007	
Comments:	WMMFD		•		1/2	9/2009		

#### Well 3

API Number	Well Name		QQ	Sec	Twp	Rng County		
4304734291	WV 4M	NWNW	15	080S	210E	UINTAH		
Action Code	Current Entity Number	New Entity Number	Spud Date		1	Entity Assignment Effective Date		
D 14864		17123				11/1/2007		
Comments:	WMMFD	REC	EIVED		1/29	/2009		

JAN 2 6 2009

**ACTION CODES:** 

A -Establish new entity for new well (single well only) DIV. OF OIL, GAS & MININGame (Please Print)

B -Add new well to existing entity (group or unit well)

C -Re-assign well from one existing entity to another existing entity

D -Re-assign well from one existing entity to a new entity

E -Other (Explain in 'comments' section)

Signature

### Division of Oil, Gas and Mining

### OPERATOR CHANGE WORKSHEET

(for state use only)

R	OUTING	
	CDW	

Change of Operator (Well Sold)												
The operator of the well(s) listed below has char	iged,	effectiv	/e:			6/14/2010						
FROM: (Old Operator): N5085-Questar Exploration and Production Compa 1050 17th St, Suite 500 Denver, CO 80265	N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265					TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265						
Phone: 1 (303) 308-3048				Phone: 1 (303	) 308-3048							
CA No.				Unit:		WONSITS	VALLEY					
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS				
SEE ATTACHED												
L	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>		<u> </u>	<u> </u>				
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation w 2. (R649-8-10) Sundry or legal documentation w	as rec	eived f		-		6/28/2010						
3. The new company was checked on the <b>Depart</b>				^			-	6/24/2010				
4a. Is the new operator registered in the State of				Business Numb	-	764611-0143		_ = ===================================				
5a. (R649-9-2)Waste Management Plan has been r	eceive	ed on:		Requested								
5b. Inspections of LA PA state/fee well sites comp				n/a								
5c. Reports current for Production/Disposition &				ok		_						
6. Federal and Indian Lease Wells: The Bl					_		~~.					
or operator change for all wells listed on Feder	ral or	Indian	leases (	on:	BLM	- 8/16/2010	BIA	not yet				
7. Federal and Indian Units:	c	•.		11 20 , 1		0/1//2010						
The BLM or BIA has approved the successors. Federal and Indian Communization As		_			n:	8/16/2010	-					
8. Federal and Indian Communization As The BLM or BIA has approved the operator	-		•	-		N/A						
9. Underground Injection Control ("UIC"							- ity to					
Inject, for the enhanced/secondary recovery u	•						6/29/2010	•				
DATA ENTRY:	mu pro	Jeet 10	n aic w	ater disposar w	ch(s) haicu (	J11.	0/2//2010	_				
1. Changes entered in the Oil and Gas Database	on:			6/30/2010								
2. Changes have been entered on the Monthly O		or Cha	ange S		 1 <b>:</b>	6/30/2010						
3. Bond information entered in RBDMS on:	-			6/30/2010	_		-					
4. Fee/State wells attached to bond in RBDMS o	n:			6/30/2010								
5. Injection Projects to new operator in RBDMS				6/30/2010								
6. Receipt of Acceptance of Drilling Procedures	for Al	PD/Ne	w on:		n/a							
BOND VERIFICATION:												
1. Federal well(s) covered by Bond Number:				ESB000024	_							
2. Indian well(s) covered by Bond Number:				965010693								
3a. (R649-3-1) The <b>NEW</b> operator of any state/f	ee we	ll(s) lis	ted cov	vered by Bond 1	Number	965010695	_					
3b. The <b>FORMER</b> operator has requested a relea		•	from t	their bond on:	<u>n/a</u>	_						
LEASE INTEREST OWNER NOTIFIC	-											
4. (R649-2-10) The <b>NEW</b> operator of the fee well					-	rom the Division						
of their responsibility to notify all interest own	ers of	this ch	ange of	<u>n:</u>	n/a	<del> </del>						
COMMENTS:												

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached SUNDRY NOTICES AND REPORTS ON WELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME See attached Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 7. UNIT or CA AGREEMENT NAME See attached 1 TYPE OF WELL 8. WELL NAME and NUMBER: OIL WELL GAS WELL OTHER See attached 2 NAME OF OPERATOR: 9. API NUMBER: NJ085 Questar Exploration and Production Company Attached 3 ADDRESS OF OPERATOR: PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: 1050 17th Street, Suite 500 Denver 710 **80265** CO (303) 672-6900 See attached 4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached COUNTY: Attached QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH** CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN  $\checkmark$ NOTICE OF INTENT REPERFORATE CURRENT FORMATION (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON 6/14/2010 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TURING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: Operator Name CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION Change DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) N3700 Utah State Bond Number: 965003033 9650/0695 Fee Land Bond Number: 965003033 9650/0695BIA Bond Number: 799446 9650/0693 The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list Morgan Anderson NAME (PLEASE PRINT Regulatory Affairs Analyst 6/23/2010 (This space for State use only)

RECEIVED
JUN 2 8 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

Carlene Kussell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease	F		
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S		4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	-
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S		4304720024	5265	Federal	OW	P	
WV 65	15	080S		4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S		4304720205	17123	Federal	GW	P	
WV 103	14	080S		4304730021	5265	Federal	OW	P	-
WV 104	15	080S		4304730022	5265	Federal	OW	P	-
WV 105	10	080S		4304730023	5265	Federal	ow	P	
WV 109	15	·		4304730045	5265	Federal	OW	P	
WV 110	14			4304730046	5265	Federal	OW	P	
WV 112	15			4304730048	5265	Federal	OW	P	-
WV 124	15			4304730745	5265	Federal	OW	P	
WV 128	10			4304730798	5265	Federal	OW	P	
WV 132	15			4304730798	5265				
WV 136	21			4304730822	5265		OW	P	
WV 137	11			4304731523		Federal	OW	S	
WV 133	15			4304731323	5265	Federal	OW	P	
WV 144	10			4304731706 4304731807	5265	Federal	OW	P	ļ
WV 145	18				5265	Federal	OW	P	
WV 121	14			4304731820	17123		GW	P	
WV 135-2				4304731873	5265	Federal	OW	TA	
WV 130	21			4304732016	5265		OW	P	
WV 119	22			4304732307	5265	Federal		P	
WV 54 WG	21			4304732461	5265	Federal		P	
WV 69 WG	07			4304732821	17123	Federal		P	
WV 38 WG	18			4304732829	17123			P	
WV 49 WG	08			4304732831	17123			P	
WV 138 WG				4304732832	17123			P	
WV 14 WG				4304733054	17123			P	
WV 11 WG	12			4304733070	17123			P	
WV 81 WG	12			4304733085	17123	Federal	GW	P	
WV 146 WG				4304733086	17123			S	
WV 1W-14-8-21				4304733128	17123	Federal	GW	P	
WV 5W-13- 8-21				4304733220	17123			P	
				4304733221	17123	Federal	GW	P	
WVFU 46 WG				4304733241	17123			P	
WV 9W-14-8-21				4304733269	17123	Federal	GW	P	
WV 7W-13-8-21				4304733270	17123	Federal	GW	P	
WV 1W-18-8-22				1304733294	17123	Federal	GW	P	
WV 11W-8-8-22				1304733295	17123	Federal	GW	P	
WV 3W-8-8-22				1304733493	17123	Federal	GW	S	
WV 5W-7-8-22				1304733494	17123	Federal	GW	S	
WV 11W-7-8-22				1304733495	17123			P	
WV 13W-7-8-22				1304733496	17123	Federal	GW	P	
WV 1W-7-8-22				304733501	17123		GW	P	
WV 3W-7-8-22				1304733502	17123		******	P	
WV 7WRG-7-8-22				304733503	5265			P	
WV 16W-9-8-21	09	080S	210E 4	304733529	17123			P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
WW 1W 10 0 01						lease			
WV 1W-12-8-21	12	080S		4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S		4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18			4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12			4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12			4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S		4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S		4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S		4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21			4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	-
WV 1W-24-8-21	24			4304733613	17123	Federal	GW.	P	
WV 11W-18-8-22	18			4304733626	17123	Federal		P	-
WV 2W-10-8-21				4304733655	17123	Federal	GW	P	
WV 4W-11-8-21				4304733657	17123	Federal	GW	P	
WV 12W-10-8-21				4304733659	17123	Federal	GW	S	+
WV 12G-10-8-21				4304733660	5265	Federal		P	
WV 15W-9-8-21				4304733661	17123	Federal		P	
WV 15G-9-8-21				4304733662	5265		OW	P	
WV 2W-13-8-21				4304733791	17123		GW	P	
WV 6W-13-8-21				4304733792	17123			P	
WV 8W-13-8-21				4304733792	17123			P P	
WV 10W-1-8-21				4304733794	17123	Federal	GW		-
WV 10W-13-8-21				4304733794	17123		GW GW	TA P	
WV 12W-7-8-22				4304733793	17123			P P	-
WV 6W-8-8-22				4304733808	17123			P P	
WV 7W-8-8-22		**********		4304733811	17123		****	P P	<u> </u>
WV 10W-7-8-22				4304733812	17123			P P	
WV 12W-8-8-22				4304733815	17123		*****************	P P	
WV 14W-7-8-22				4304733815	17123			P	
WV 16W-7-8-22				4304733810	17123				
WV 6W-7-8-22				1304733817	17123	Federal		P	
WV 6W-18-8-22				1304733842				P	
WV 6WC-18-8-22				1304733842	17123			<u>P</u>	-
WV 6WD-18-8-22				1304733844	17123			<u>P</u>	1
WV 5W-23-8-21				1304 <i>7</i> 33844 1304733860	17123			P	ļ
WV 7W-23-8-21				1304733860 1304733861	17123			<u>P</u>	
WV 8W-12-8-21					17123			<u>P</u>	
WV 10W-12-8-21				1304733862	17123			<u>P</u>	ļ
WV 14W-12-8-21				1304733863	17123			<u>P</u>	
WV 16W-12-8-21				1304733864	17123			<u>P</u>	<u> </u>
VV 1W-15-8-21				304733865	17123			<u>P</u>	
VV 1W-13-8-21 VV 1W-22-8-21				304733902	17123			S	
VV 1W-22-8-21 VV 1W-23-8-21				304733903	17123	Federal		<u>S</u>	
VV 1W-23-8-21 VV 6W-11-8-21				304733904	17123			P	
				304733906	17123			P	
VV 7W-24-8-21	24 (	080S   2	210E  4	304733908	17123	Federal	$\mathbf{G}\mathbf{W}$ $\parallel$	P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
		1				lease	type	Stat	
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S		4304733911	17123	Federal		P	
WV 13W-11-8-21	11	080S		4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	h	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S		4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15			4304733917	17123	Federal		P	
WV 5W-14-8-21	14	080S		4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	+		4304733955	17123	Federal	GW	P	<u> </u>
WV 8W-11-8-21	11			4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S		4304733958	17123	Federal	GW	P	_
WV 9W-15-8-21	15			4304733959	17123	Federal		P	
WV 12W-13-8-21	13	080S		4304733961	17123	Federal	GW	P	-
WV 14W-13-8-21	13	080S		4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14			4304733963	17123	Federal		P	-
WV 2W-18-8-22	18			4304733986	17123	Federal	GW		
WV 8W-18-8-22	18			4304733989	17123		GW	P	
WV 10W-18-8-22	18			4304733989	17123	Federal	GW	P	
WV 12W-18-8-22	18			4304733991				P	
WV 14W-18-8-22	18			4304733995	17123		GW	S	
WV 8W-1-8-21	01			4304733993	17123	Federal	GW	P	
WV 4W-17-8-22	17			4304734009	17123	Federal	GW	OPS	C
WV 12G-1-8-21	01			4304734038 4304734108	17123	Federal	GW	P	
WV 2W-14-8-21	14				5265	Federal	OW	TA	
GH 2W-21-8-21	21			4304734140	17123	Federal	GW	P	-
WV 2W-23-8-21	23			4304734141	17123	Federal	<del> </del>	P	ļ
WV 3W-21-8-21	23			4304734142	17123	Federal		P	
WV 4W-13-8-21	13			4304734143	17123	Federal		P	
WV 4W-13-8-21 WV 4W-21-8-21	21			4304734144	17123	Federal		P	
WV 4W-21-8-21 WV 4W-22-8-21				4304734145	17123	Federal		P	ļ
WV 16W-11-8-21				4304734146	17123			P	-
WV 3W-19-8-22				4304734155	5265			P	
WV 4W-23-8-21				4304734187	17123	Federal		P	
WV 6W-23-8-21				4304734188	17123			P	<u> </u>
WV 2W-15-8-21				4304734189	17123			S	
WV 2W-13-8-21 WV 2W-22-8-21				4304734242	17123	Federal		P	
WV 4W-14-8-21				4304734243	17123			P	-
WV 6W-12-8-21				4304734244	17123			S	-
WV 7W-12-8-21 WV 7W-15-8-21				4304734245	5265			TA	
WV 8W-15-8-21				4304734246	17123			P	
WV 12W-12-8-21				4304734247	17123			P	ļ
WV 12W-12-8-21 WV 14W-15-8-21				4304734248	17123			TA	
WV 14W-15-8-21 WV 16W-10-8-21				4304734249	17123			P	
WV 16W-10-8-21 WV 16W-15-8-21				4304734250	17123			P	
WV 16W-15-8-21 WV 3W-12-8-21				1304734251	17123			P	
				1304734267	17123			OPS	С
WV 4D-12-8-21				1304734268	17123			OPS	C
WV 6W-14-8-21				1304734271	17123			S	
WV 9W-11-8-21				1304734274	17123			OPS	С
WV 10W-14-8-21				1304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	304734277	17123	Federal	GW	P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease			
WV 12W-14-8-21	14			4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S		4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14			4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	<u> </u>
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	1
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10			4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13			4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12			4304737924	17123	Federal	GW	P	<del> </del>
WV 15AML-12-8-21	12			4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10			4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15			4304737927	17123	Federal	GW	P	<u> </u>
WV 11AD-14-8-21	14			4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24			4304738663	17123	Federal	GW	P	-
WV 2ML-24-8-21	24			4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14			4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24			4304738970			GW	APD	C
WV 7AML-12-8-21	12			4304739035		Federal	GW	APD	C
WV 14BML-12-8-21				4304739036		Federal	GW	APD	C
WV 14B-13-8-21				4304739037		Federal	GW	APD	C
WV 4B-14-8-21				4304739038			GW	APD	$\frac{c}{c}$
WV 13A-15-8-21				4304739039	17123	Federal		P	
WV 8D-15-8-21				4304739040	17123	Federal		P	<del>                                     </del>
WV 4BD-23-8-21				4304739041		Federal			<del> </del>
WV 7CML-11-8-21				4304739042		Federal		APD	С
WV 7BD-23-8-21				4304739044	17123		GW	P	
WV 2CML-7-8-22				4304739155	1,123	~	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)				4304739321	17123		GW	P	<del> </del>
WV 2B-22-8-21				4304740262	11123		GW	APD	C
WV 8D-22-8-21				4304740263			GW	APD	C
WV 7A-24-8-21				4304740331			GW	APD	C



### United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS **UDOGM** 

AUG 16 2010

DIV. OF OIL, GPS with the